

HOPEX Internal Control

User Guide

HOPEX V2R1



Information in this document is subject to change and does not represent a commitment on the part of MEGA International.

No part of this document is to be reproduced, transmitted, stored in a retrieval system, or translated into any language in any form by any means, without the prior written permission of MEGA International.

© MEGA International, Paris, 1996 - 2018

All rights reserved.

HOPEX Internal Control and HOPEX are registered trademarks of MEGA International.

Windows is a registered trademark of Microsoft Corporation.

The other trademarks mentioned in this document belong to their respective owners.

CONTENTS



Contents	3
---------------------------	----------

Introduction	11
-------------------------------	-----------

Internal Control Process	12
<i>Control Library Definition</i>	12
<i>Control Execution</i>	12
<i>Control Assessment</i>	13
<i>Issue and Action Plan Management</i>	13
Accessing HOPEX Internal Control	14
Connecting to the solution	14
HOPEX Internal Control Profiles	14
Interface Presentation	16
About This Guide	17
Guide Structure	17
Additional Resources	17

Functional administration	19
--	-----------

Environment Management	20
Accessing Organization Information	20
Connecting Environment Objects	20
Managing Campaign Calendars	22
Creating Calendars	22
Creating Calendar Periods	22
Connecting a Calendar to a Test Plan	22
Managing Teams	23
Creating Controllers	23
Managing Controller Skills	23

<i>Creating skill types</i>	23
<i>Creating skills</i>	23
<i>Creating skill levels</i>	24
<i>Defining skills for each user</i>	24
<i>Viewing skills</i>	24
Managing Currencies	26
Currency Use Principle	26
<i>Central currency</i>	26
<i>Local currency</i>	26
Defining Central Currency	26
Defining Local Currency	27
Modifying User Local Currency	27
Managing Exchange Rates	27
<i>Entering an exchange rate</i>	27
<i>Viewing an exchange rate</i>	28
.	28
Configuring Time Sheets	29
<hr/>	
Managing the Control Library	31
Creating Controls	32
Control Characteristics	33
General characteristics	33
<i>Code</i>	33
<i>Control objective</i>	33
<i>Owner</i>	33
<i>Key control</i>	33
<i>Control nature</i>	33
<i>Operational cost</i>	33
<i>Execution mode</i>	33
Scope	34
Responsibilities	34
<i>Responsibility levels</i>	34
<i>Specifying control responsible users</i>	34
Scoping Controls	36
Scoping Controls via a Matrix	36
Defining scope via lists or trees	37
<i>Contextualization from a list</i>	37
<i>Contextualization via trees</i>	37
Managing Controls	38
Accessing controls	38
<i>Accessing controls by context</i>	38
<i>Listing controls</i>	38
<i>Viewing key controls</i>	39
<i>Viewing "orphan" controls</i>	39
Modifying Controls	39
Merging and Duplicating Controls	39
<i>Merging</i>	39
<i>Duplicating</i>	40

Preparing Control Execution	41
Defining Control Execution Calendars	41
<i>Specifying a control steering calendar</i>	41
<i>Creating and configuring a steering calendar</i>	41
<i>Viewing controls connected to a steering calendar</i>	42
Defining questions on controls	42
<i>Question/answer types</i>	42
<i>Creating questions</i>	43
<i>Conditioning questions</i>	43
Defining Respondents	44
Connecting Controls to Entity Processes	44
Preparing Control Testing	45
Defining Testing Methods	45
Defining Test Sheet Questions	45
<i>Initializing testing steps</i>	46
<i>Creating testing steps</i>	46
<i>Conditioning test sheet questions</i>	46
<hr/>	
Executing controls	49
Execution Campaign Principle	50
Preparing Execution Campaigns	50
Control Execution Periodicity	50
Assessment Template Specific to Control Execution	50
Creating Execution Campaigns	52
Starting Execution Campaigns	55
Starting Execution Campaigns	55
Automatic session start	55
Consulting execution campaign schedule	57
Completing Control Execution Check-Lists	58
Completing a Check-List	58
Transferring a Check-List	58
Managing Execution Check-Lists	59
Accessing Check-Lists	59
Reassigning Check-Lists	59
Following Check-Lists Up	59
<i>Campaign results</i>	59
<i>Check-list reports</i>	59
<i>Displaying check-lists measures</i>	60
<i>Displaying the aggregated measures</i>	60
<hr/>	
Assessing controls	61
Direct assessment	62
Control Direct Assessment	62
<i>Direct assessment context</i>	62

<i>Assessing controls</i>	62
<i>Consulting assessment answers</i>	63
<i>Assessing multiple controls simultaneously</i>	64
<i>Assessing controls on different dates</i>	66
Risk Assessment	66
Assessing Controls by Questionnaires	68
Assessment Principle	68
<i>Concepts overview</i>	68
Assessment Steps	68
<i>Preparing the work environment</i>	68
<i>Starting a campaign and assessment sessions</i>	69
Creating Assessment Campaigns	69
Creating Assessment Sessions	71
<i>Creating Assessment Sessions</i>	71
<i>Viewing Assessment Sessions</i>	71
<i>Creating and launching assessment sessions</i>	72
Deploying Assessment Campaigns	72
Defining assessment campaign scope	73
<i>Defining assessment campaign scope</i>	73
<i>Specifying respondents</i>	73
Planning Assessment Campaigns	73
Validating Assessment Campaigns	74
Deploying Assessment Sessions	74
Defining assessment session scope	75
<i>Defining assessment session scope</i>	75
<i>Specifying respondents</i>	75
Validating Assessment Sessions	75
<i>Generating questionnaires</i>	75
<i>Viewing Generated Questionnaires</i>	76
<i>Regenerating Questionnaires</i>	76
Starting Assessment Sessions	76
Completing Questionnaires	77
<i>Accessing Assessment Questionnaires</i>	77
<i>Requesting questionnaire transfer</i>	77
Following Up Session and Questionnaire Progress	78
<i>Consulting Session Results</i>	78
<i>Validating Assessment Questionnaires</i>	78
<i>Asking a respondent to modify answers</i>	78
<i>Viewing assessment campaign reports</i>	79
<i>Reassigning questionnaires</i>	79
Closing the assessment session	80
Computing Assessment Results	81
<hr/>	
Control testing	83
Preparing Tests	84
Creating a Test Plan	84
Planning Tests	85
<i>Creating a test</i>	85

<i>Accessing tests</i>	86
<i>Defining test properties</i>	86
<i>Creating "template" tests</i>	87
<i>Selecting tests to be executed</i>	88
<i>Selecting tests to be integrated in the test plan</i>	89
<i>Planning tests using a Gantt chart</i>	90
<i>Assigning resources to tests</i>	91
<i>Sending the Notification Letter</i>	91
<i>Validating tests</i>	92
<i>Publishing tests</i>	92
Preparing Tests	93
<i>Work program creation prerequisites</i>	93
<i>Work program content</i>	93
<i>Creating work programs automatically</i>	94
<i>Completing the work program manually</i>	94
<i>Assigning activities</i>	96
<i>Reviewing the work program</i>	96
<i>Validating work programs</i>	97
<i>Executing administrative tasks</i>	97
Executing Tests	99
Consulting the Work Program	99
Executing Tests on Samples	100
<i>Creating workpapers</i>	100
<i>Specifying or modifying the sample size</i>	101
<i>Generating the test sample</i>	101
<i>Defining test sheet questions</i>	101
<i>Completing the generated test sheets</i>	101
<i>Assessing test activities</i>	102
Assessing Controls	102
<i>Generating questionnaires</i>	102
<i>Replying to questionnaires</i>	102
Managing Time and Expenses	103
<i>Managing expenses</i>	103
<i>Entering vacations</i>	103
<i>Completing a Time Sheet</i>	104
management of issues and action plans	104
<i>Managing issues</i>	105
<i>Managing action plans</i>	105
Supervising Tests	106
<i>Test check reports</i>	106
<i>Time sheet follow-up reports</i>	106
<i>Test expenses reports</i>	107
Concluding Tests	107
<i>Test assessment reports</i>	107
<i>Generating test reports</i>	107
<i>Assessing tests</i>	108
<i>Terminating tests</i>	108
<i>Closing tests</i>	108
Test Follow-Up	109
Implementing Action Plans	109
<i>Accessing action plans</i>	109
<i>Implementing actions</i>	109

<i>Action plan implementation follow-up</i>	109
<i>Action Plan Follow-Up</i>	110
Test Plan Follow-Up	110
<i>Displaying test plan follow-up reports</i>	110
<i>Closing a test plan</i>	111
Reports and Dashboard	111
<i>Reports</i>	111
<i>Dashboard</i>	112

Managing Issues and Action Plans 113

Managing issues	114
Automatic Issue Creation	114
Creating an Issue Manually	114
Remediating Issues	114
Following Up Issues	115
<i>Viewing remediated issues</i>	115
<i>Generating issue follow-up reports</i>	115
Managing action plans	116
Creating Action Plans	116
Characterizing Action Plans	116
<i>General characteristics</i>	117
<i>Financial assertion</i>	117
<i>RACI</i>	118
<i>Success factors</i>	118
<i>Scope</i>	118
<i>Milestones</i>	118
<i>Attachments</i>	118
Managing Actions	118
<i>Creating Actions</i>	119
<i>Defining action scope</i>	119
Action Plan Workflows	119
<i>"Bottom-up" approach</i>	119
<i>"Top-down" approach</i>	120
<i>Action workflow</i>	120
Action Plan Follow-Up	120
<i>Indicating action plan progress</i>	120
<i>Action plan follow-up reports</i>	120

HOPEX Internal Control Reports 121

Creating Reports	122
Control Library Reports	123
Control Identification	123
<i>Access path</i>	123
<i>Parameters</i>	123

<i>Results</i>	124
Control Location Matrix	124
<i>Access path</i>	124
<i>Parameters</i>	124
Control Map	125
<i>Generating the control map</i>	125
<i>Control map content</i>	125
Control Execution Reports	126
Detailed Execution Results	126
<i>Access path</i>	126
<i>Parameters</i>	126
<i>Result</i>	126
Consolidated Execution Results	126
<i>Access path</i>	126
<i>Parameters</i>	127
<i>Result</i>	127
Following Up Execution Sessions	127
<i>Access path</i>	127
<i>Availability</i>	128
<i>Parameters</i>	128
<i>Result</i>	128
Control Assessment Reports	129
Campaign Result Tree	129
<i>Access path</i>	129
<i>Parameters</i>	129
Campaign Result Matrix By Entity	129
<i>Access path</i>	129
<i>Parameters</i>	129
Aggregation Report	130
<i>Access path</i>	130
<i>Parameters</i>	130
Session Follow-Up	130
<i>Access path</i>	130
<i>Parameters</i>	131
Session Statistics	131
<i>Access path</i>	131
<i>Parameters</i>	131
<i>Result</i>	131
Control Testing Reports	132
Testing Coverage	132
Plan Synthesis	132
<i>Access path</i>	132
<i>Result</i>	132
Other Reports	132
<i>Test plan follow-up reports</i>	133
<i>Test follow-up report</i>	133
<i>Action plan report</i>	133
Control Remediation Reports	134
Issue Follow-Up	134
<i>Access path</i>	134
<i>Result</i>	134
Action Plan Follow-Up	134

<i>Access path</i>	134
<i>Result</i>	134
Reports on Environment Objects	136
Control Report	136
<i>Access path</i>	136
<i>Results</i>	136
Entity Report	136
<i>Controls</i>	136
<i>Action plans</i>	136
<i>Assessments</i>	137
Process Report	137
<i>Controls</i>	137
<i>Assessments</i>	138
<i>Action plans</i>	138
Account Report	138
<i>Access path</i>	138
<i>Results</i>	138
Control Type Report	139
<i>Access path</i>	139
<i>Results</i>	139
<hr/>	
Appendix - Workflows	141
Workflows Linked to Testing	142
Test Plan/Audit Plan Workflow	142
Test Workflow	143
Test Activity Workflow	144
Expense Sheet Workflow	145
Workflows Linked to Assessments	146
Workflows Linked to Action Plans	147
"Bottom-up" Action Plan Workflow	147
"Top-down" Action Plan Workflow	148
Action Workflow	149

INTRODUCTION



HOPEX Internal Control is an internal control management solution covering the different phases of internal control. This solution enables:

- ✓ definition of internal control systems with creation of a control library
- ✓ execution of controls
- ✓ assessment of controls, directly or by assessment campaigns or tests
- ✓ management of issues and action plans

HOPEX Internal Control is intended for internal control managers, internal controllers and business process managers. An interface customized according to profile accompanies implementation of internal control systems.


- ✓ ["Internal Control Process", page 12](#)
- ✓ ["Accessing HOPEX Internal Control", page 14](#)
- ✓ ["Interface Presentation", page 16](#)
- ✓ ["About This Guide", page 17](#)

INTERNAL CONTROL PROCESS

Internal control consists of checking that controls carried out during enterprise processes have been correctly executed and are efficient.

HOPEX Internal Control covers the different phases of internal control:

- Control Library Definition
- Control Execution
- Control Assessment
- Control Testing
- Issue and Action Plan Management



Defining the internal control library is a prerequisite for control execution and assessment activities.

Execution and assessment of controls can be carried out independently.

☛ *Reporting functions are available at all times, either globally or for each internal control step.*

Control Library Definition

HOPEX Internal Control allows internal control managers to:

- identify controls
- contextualize controls in the company repository, that is to connect them to the appropriate processes and entities

Control Execution

Controls are regularly executed by managers to check that first level controls are correctly executed. **HOPEX Internal Control** allows:

- creation of questionnaires called check-lists
- definition at regular intervals of control execution campaigns
- follow-up and consolidation of control execution results from reports

☛ *The **HOPEX Internal Control** solution does not concern first level controls executed by operational management during execution of enterprise processes.*

Control Assessment

Assessment of relevance of controls in terms of design and efficiency can be carried out by means of:

- assessment campaigns via questionnaires
- control tests organized by the internal control department

Issue and Action Plan Management

Issues can be identified from control assessment questionnaires or specified directly in the solution.

Resolution of issues is formalized by implementation of action plans. Reports assure efficient follow-up of internal control activities.

ACCESSING HOPEX INTERNAL CONTROL

The menus and commands available depend on the profile with which you are connected.

Connecting to the solution

To connect to HOPEX, see ["Starting HOPEX \(Web Front-End\)", page 32.](#)

HOPEX Internal Control Profiles

In **HOPEX Internal Control** , there are profiles with which specific activities are associated.

The profiles used are:

- Internal Control Director
- Internal Controller
- Business User or GRC Contributor (Simplified)
- Functional Administrator

Presentation of the solution interface depends on the profile selected by the user on connection to the application; the tree of menus and functions varies from one profile to another.

Profiles	Tasks
Internal Control Director	<ul style="list-style-type: none">- Has all internal controller rights- Validate campaigns- Prepare test plans- Validate action plans

Profiles	Tasks
Internal Controller	<ul style="list-style-type: none"> - Define controls - Prepare campaigns - Execute tests (create work programs, create issues and action plans) - Validate and follow up action plans
Business User (IC) or GRC Contributor (Lite)	<ul style="list-style-type: none"> - Complete control execution check-lists - Answer assessment questionnaires - Define and create action plans (and create issues) <p>➡ As a business user, you may also connect with the "GRC Contributor (Lite) profile". For more details on this profile common to all GRC solutions, see "The GRC Contributor Desktop".</p>
Functional Administrator	<ul style="list-style-type: none"> - Has all rights on workflows, objects and menus of the solution

INTERFACE PRESENTATION

The menus and commands available in **HOPEX IT Risk Management** depend on the profile with which you are connected. See ["HOPEX Internal Control Profiles", page 14](#).

The navigation tabs available at the top of the page relate to the different phases of internal control:

- Control Library
See ["Managing the Control Library", page 31](#).
- Control Execution
See ["Executing controls", page 49](#).
- Campaign Management
See ["Assessing controls", page 61](#).
- Remediation
See ["Managing Issues and Action Plans", page 113](#).
- Reports
See ["HOPEX Internal Control Reports", page 121](#).

➤ For more details on how to use the interface, see the **HOPEX Common Features** guide.

ABOUT THIS GUIDE

This guide presents the features of **HOPEX Internal Control** solution. It follows the main steps described in paragraph ["Internal Control Process"](#), page 12.

- ✓ ["Guide Structure"](#), page 17
- ✓ ["Additional Resources"](#), page 17

Guide Structure


This guide comprises the following chapters:

- ✓ ["Functional administration"](#), page 19: managing the control environment, defining calendars required for execution of campaigns, managing teams.
- ✓ ["Defining the Environment for Solutions"](#), page 695: describes the different elements of the environment used in **HOPEX** solutions.
- ✓ ["Managing the Control Library"](#), page 31: defining controls and their application scope.
- ✓ ["Executing controls"](#), page 49: managing control execution campaigns.
- ✓ ["Assessing controls"](#), page 61: directly assessing controls, managing control assessment campaigns.
- ✓ ["Control testing"](#), page 83: preparing, executing and following up tests.
- ✓ ["Managing Issues and Action Plans"](#), page 113: managing issues and action plans.
- ✓ ["Glossary"](#), page 167
- ✓ ["Appendix - Workflows"](#), page 141: presents workflows used in the solution.

Additional Resources

This guide is supplemented by:

- the **HOPEX Common Features** guide, which describes the HOPEX interface.

 *It can be useful to consult this guide for a more detailed general presentation of the interface.*

- the **HOPEX Power Supervisor** administration guide.

FUNCTIONAL ADMINISTRATION



So that the different participants can play their roles, the functional administrator must first create and manage the elements required for preparation of the tasks for each of them.


- ✓ "Environment Management", page 20: organizational units and processes, for example.
 - ☛ *For a complete description of the solutions environment, see "Defining the Environment for Solutions", page 695*
- ✓ "Managing Campaign Calendars", page 22
- ✓ "Managing Teams", page 23
- ✓ "Managing Currencies", page 26
- ✓ "Configuring Time Sheets", page 29

ENVIRONMENT MANAGEMENT

The functional administrator is authorized to update all organizational information.

To access information concerning the environment of the enterprise:

- 1 At top left in the application, click the button corresponding to the **Environment** desktop.



For a complete description of the solutions environment, see ["Defining the Environment for Solutions", page 695](#)

Accessing Organization Information

To access information concerning the organization:

1. In the **Environment** desktop, select **Organization > Tree View**. Trees enable access to all organization entities and processes.
2. Select an object in the tree that interests you. The properties dialog box of the object appears on the right.
3. Specify properties or connect context objects.

Connecting Environment Objects

To be able to use functionalities of the **HOPEX Internal Control** solution:

- Processes (organizational or business) should be connected to entities of the organization.
- Controls should be connected to these processes.

For example, to connect processes to an entity:

1. In the **Environment** desktop, click **Organization > Hierarchical View > Entities** and select an entity.
2. In the properties of the entity, expand the **Scope** section.
3. In the subtab corresponding to organizational or business processes, click **Connect**.

4. In the query dialog box that appears, click the **Find** button, select the required process and click **Connect**.

➤ To connect controls to processes, you can proceed as described above but from a process. **HOPEX Internal Control** enables simpler control scope definition. For more details, see ["Scoping Controls", page 36](#).

MANAGING CAMPAIGN CALENDARS

Assessment campaigns are based on calendars divided into calendar periods.



A campaign calendar enables planning of campaigns and their division into periods called calendar periods. Campaign calendars can also be used in reports or to plan audits or tests.

A calendar often covers a period of one year, either a fiscal year or a calendar year. In the latter case, a calendar period can correspond to a quarter.

Creating Calendars

To create a calendar:

1. In the **Control** desktop, select **Testing > Preparation > Calendars**.
2. In the right pane of the window, click **New**.
3. Enter the **Name** of the calendar and its begin and end dates.
4. Click **OK**.

You can then define calendar periods.

Creating Calendar Periods

To create calendar periods:

1. Open the **Properties** of the calendar.
2. Click the **Characteristics** tab.
3. In the **Calendar Period** section, click **New**.
4. Enter the **Name** of the calendar period and its begin and end dates.
5. Click **OK**.
6. Create other calendar periods in the same way.

The calendar is created. It can then be connected to a test plan.

Connecting a Calendar to a Test Plan

To connect a calendar to a test plan:

1. In the **Control** desktop, select **Testing > Plans**.
2. Open the properties of the test plan that interests you.
3. Click **Characteristics**.
4. In the **Calendar** field, click the arrow and select **List** to display the list of calendars.
5. Select the calendar to be connected to the test plan.
6. Click **OK**.


MANAGING TEAMS

Before planning tests, appropriate teams must be set up and roles and responsibilities assigned.

Tools are available that enable definition and display of the skills of team members.

Creating Controllers

To create a controller, you must create a person and associate the "Control Tester" profile.

 For more information on creation of users and assignment of profiles, see the chapter "Managing Users" in the **HOPEX Power Supervisor** guide.

Managing Controller Skills

HOPEX Internal Control enables management and viewing of skills for each controller.

To do this, you must previously have defined:

- skill types
- skills list
- skill levels

Creating skill types

To create a skill type:

1. In the **Administration** desktop, select **Skill Management > Skill Types**.
2. Click **New**.
3. Enter a **Name** for the skill type, for example "Languages".
4. Click **OK**.

Creating skills

To create a skill:

1. In the **Administration** desktop, select **Skill Management > All Skills**.
2. Click **New**.
3. Enter a **Name** for the skill, for example "English".
4. Click **OK**.

The new skill is added to the list of skills.


In properties of the skill you can indicate the **Skill Type** to which it is attached, for example "Languages".

Creating skill levels

You must now create skill levels to be associated with each skill type.

To create a skill level:

1. In the **Administration** desktop, select **Skill Management > Skill Levels**.
2. Click **New**.
3. Enter a **Name** for example "Beginner" for "Languages" skill type.
4. Click **OK**.
5. In skill level properties, select the **Skill Type** to which it is attached, here "Languages".
6. In **Skill Level Internal Value**, enter a figure corresponding to the skill level, for example "1" for "Beginner" (while "4" could correspond with "Experienced" in our example).


 This figure gives a graphic view of the extent of controller skills in the test assignment page.

7. Click **Apply**.
8. Close skill level properties.

Defining skills for each user

To define the skills of a user:

1. In the **Administration** desktop, select **Skill Management > Manage Skills by User**.
2. Select a user and click the **Properties** button.
3. In the properties page, click **Skills**.
In the page that appears, you can specify user skills as a function of previously defined skill types and skill levels.



Manage Skills by User		
Properties of Chandler (Skills)		
Skills		
Skill:		
Local name	Skill Type	Skill Level
Accounting	Business	1 Low
English	Language	3 Fluent
Sales	Business	3 High

Example of skills

Viewing skills

To view the skills and skill levels available within the team:

1. In the **Administration** desktop, select **Skill Management > View Users and Skills**.

A list appears. You can sort the list by skill, skill level and user by clicking the header of the corresponding column.

View Users With Skills			
	Skill	Skill Level	Person (System) ▲
	Accounting	1 Low	Chandler
	Sales	3 High	Chandler
	English	3 Fluent	Chandler
	Sales	3 High	Ernesto
	English	3 Fluent	Ernesto
	French	2 Read/Written/Spoken	Ernesto
	Accounting	3 High	Ernesto
	Sales	2 Medium	Kim
	English	3 Fluent	Kim
	Accounting	2 Medium	Kim
	Sales	3 High	Luca
	Accounting	3 High	Luca
	English	3 Fluent	Luca

MANAGING CURRENCIES

Currencies are used in the framework of tests for completion of expense sheets.

Currency Use Principle

Two currency types should be distinguished:

- central currency
- local currency

Central currency

Central currency is the currency adopted as reference currency.

Local currency

A local currency is defined for each user. By default it is the same as central currency.

Defining Central Currency

To define central currency:

1. In the Administration application (administration.exe) connect to the environment in which you wish to work.
2. Right-click the repository and select **Options > Modify**.
The repository options window opens.
3. Select the **Installation > Currency** folder.
The list of currencies available as standard appears on the right.
4. In the **Monetary Symbol** field, specify the symbol of your consolidation currency, for example "\$".
5. In the **Central Currency** field, select your consolidation currency, for example "US Dollar".
6. Click **OK**.
7. Exit the Administration application.

Defining Local Currency

You can choose a local currency different from the central currency. To do this, you must connect to **HOPEX Windows Front-End** with your login.

To modify user local currency:

1. Start **HOPEX Windows Front-End** and connect with your login.
2. In the desktop, select **Tools > Currency** and select the currency that interests you.
3. Exit **HOPEX**, dispatching your private workspace.

When you reconnect to **Web Front-End** with your login, the currency proposed by default for your expense sheet expenses is the currency you have just defined.

Modifying User Local Currency

Local currencies proposed to users of the application are defined with the **HOPEX Administration** application.

To define the list of local currencies:

1. In the folder where **HOPEX** is installed, launch "Administration.exe" and connect with a user that has data administration authorization rights.
2. Select the environment then the repository on which you want to work.
3. Right-click the repository and select **Options**.
The repository options window opens.
4. Select the **Installation > Currency** folder.
The list of currencies available as standard appears on the right.
5. Then select all the currencies that will be used locally by your users.
6. Click **OK**.
7. Exit the Administration application.

Managing Exchange Rates

Entering an exchange rate

To enter an exchange rate:

1. In the **Administration** desktop, select **Currencies > Exchange Rate**.
2. Click **New**.
3. Select the line created and select **Properties**.

4. In the window that appears, enter:

- the **Currency Code To**.
- the **Rate** of the source currency related to the final currency.
- the **Rate Date Begin**.

☛ Several exchange rate periods can be entered for the same currency. When entering expenses, the most recent exchange rate is taken into account.

☛ You must enter the exchange rate in both directions, for example:

- EUR->USD
- USD->EUR

Viewing an exchange rate

To view an exchange rate:

1. In the drop-down lists above the table, select the source and final currencies.
2. Click **Refresh**.

The exchange rates for the selected currency appear.

☛ To reverse the exchange rate, click button



CONFIGURING TIME SHEETS




Time sheets are used in the context of audits/tests.

The functional administrator can configure time sheet default options.

The functional administrator can define:

- number of hours worked per day
- days not worked in enterprise

To configure this data:

1. Click button  at the right of the connection role, then **Options**.
2. In the window that appears, expand the folders **Installation > User Management**.
3. In the right pane of the window, specify:
 - the number of **Hours/Day** for each auditor.
 *Default value is "8".*
 - days corresponding to weekend
 *Default values are "Saturday" and "Sunday".*

MANAGING THE CONTROL LIBRARY



HOPEX Internal Control enables creation of control libraries and connection of controls to objects in their environment. This enables positioning of controls in their business context.

This "contextualization" allows internal control managers to define adapted controls and subsequently carry out relevant assessments.

- ✓ ["Creating Controls", page 32](#)
- ✓ ["Control Characteristics", page 33](#)
- ✓ ["Scoping Controls", page 36](#)
- ✓ ["Managing Controls", page 38](#)
- ✓ ["Preparing Control Execution", page 41](#)
- ✓ ["Preparing Control Testing", page 45](#)

CREATING CONTROLS

The internal controller, the internal control director and the functional administrator can create controls.

To create a control:

1. In the **Control** desktop, select **Control Library > Control Management > Controls > All Controls**.
2. Click **New**.
The control created appears in the list of controls. You can now specify the various characteristics from the properties window.

➡ For more details, see "[Control Characteristics](#)", page 33.

CONTROL CHARACTERISTICS

Different sections are available in the properties of a control.

☛ To access controls, see ["Accessing controls", page 38](#).

General characteristics

Code

The code enables unique identification of the control.

Control objective

You can enter a comment describing the required objective of setting up the control.

Owner

The control owner is the user responsible for execution of the control.

This field is used when there is only one "Responsible" (in the RACI sense).

☛ For more details on RACI, see ["Responsibilities", page 34](#).

Key control

When the Key Control check box is selected, the control appears in the list **Control Library > Control Management > Controls > Key Controls** list.

Control nature

This characteristic allows you to specify the nature of the control. You can select from three main internal control types:

- Corrective
- Detective
- Preventive

Operational cost

This characteristic enables indication of a control cost assessment.

Execution mode

This characteristic enables specification of how the control is carried out:

- "Automatic"
- "Manual"
- "Semi-automatic"

Scope

The **Scope** section of control properties enables connection of controls to other objects:

- Business process
- Organizational processes
- Entities
- Risks
- Accounts
- Requirement
- Types of control

Responsibilities

HOPEX Internal Control enables definition of responsibilities of each participant related to a control via the RACI matrix:

- Responsible
- Accountable
- Consulted
- Informed

Responsibility levels

The proposed responsibility levels are as follows:

Scope of responsibility	Meaning
Responsible	Responsible for execution of required actions.
Accountable	Reporting on progress of planned actions and making decisions. There is only one "Accountable".
Consulted	Consulted as first priority before an action or decision.
Informed	Must be informed after an action or decision.



Specifying control responsible users

In the framework of control assessment via campaigns, questionnaire respondents are **Responsibles** of control.

➡ For more details on assessment campaigns, see ["Assessing Controls by Questionnaires", page 68](#)

You can connect several "Responsibles" for the same control in different entities.

To specify the person responsible for a control in a given entity:

1. In the control properties page, expand the **Responsibilities** section.
 To access controls, see "[Listing controls](#)", page 38.
2. Select the **Responsible** tab.
3. Click the **Connect** button.
In the dialog box that appears, click the **Find** button.
4. Select a person in the list that appears and click **Connect**.
The person appears under the tab concerned. You must now connect the person to an entity.
5. In the **Assignment Location** field, select an entity to which the person executing the control is attached.
 Ensure that an e-mail address is correctly specified in the properties of the person.

SCOPING CONTROLS

HOPEX Internal Control enables easy control scoping and connection of controls to:

- entities
- process
- control types
- regulation frameworks

The same control can be assessed in the framework of different contexts (for example processes or entities).

To enable this multiple assessment, you must "contextualize" controls, that is connect them to objects of different contexts.

Several contextualization tools are available to define this application scope.

Scoping Controls via a Matrix

You can create a matrix to connect controls:

- to processes
- to entities

To connect controls to entities:


1. In the **Control** desktop, select **Control Library > Contextualization > Matrix Contextualization > Controls per Entity**.
 2. Click **New** to create a matrix.
 3. Select **Add a Row**.
 4. In the dialog box that opens, click **Find**.
 5. Select the controls that interest you and click **OK**.
 6. Select **Add a Column**.
 7. Use the query tool in the same way to add entities.
 8. In the matrix created, select the cells at the intersection of controls and entities that interest you.
- Links are established between these controls and entities.

To disconnect a control from an entity:

1. Click again in the cell concerned.
- The green tick disappears. The link between control and entity is deleted.

To remove a row/column:

1. Select the line/column and click **Remove**.

 You can send this matrix to Excel.

 To connect controls to processes, select **Control Library > Contextualization > Matrix Contextualization > Controls by Process**.

Defining scope via lists or trees

By simple drag-and-drop you can connect controls to:

- entities
- control types
- process
- regulation frameworks

Contextualization from a list

To contextualize controls from a list:

1. In the **Control** desktop, select **Control Library > Contextualization > Contextualization > List View**.

The screen that appears presents:

- on the left, a list of controls.
- on the right, trees of entities/control types/processes/regulation frameworks.

2. Drag-and-drop the desired control to the appropriate tree.

 From this list, you can merge or duplicate controls. For more details, see ["Merging and Duplicating Controls", page 39](#).

Contextualization via trees

To contextualize controls from a tree to another tree:

1. In the **Control** desktop, select **Control Library > Contextualization > Contextualization > Tree View**.

Control trees classified by entities/control types/processes/regulation frameworks appear.

2. Drag-and-drop from one tree to another tree.

MANAGING CONTROLS

Accessing controls

By default, controls are visible to all.

You can access these via different lists and trees.

Accessing controls by context

To access controls:

- 1. In the **Control** desktop, select **Control Library > Control Trees**.

Controls are classified by:


- entities
- control types
- process
- regulation frameworks

Listing controls

To list controls:

1. In the **Control** desktop, select **Control Library > Control Management > Controls > All Controls**.

You obtain the list of all controls.



Viewing key controls

To view controls considered as key controls:

- 1 In the **Control** desktop, select **Control Library > Control Management > Controls > Key Controls**.
Key controls are controls for which the **Key Control** check box was selected in the control properties.

Viewing "orphan" controls

To view controls that have not yet been contextualized:

- 1 In the **Control** desktop, select **Control Library > Control Management > Controls > Orphan Controls**.
Controls that have not been connected to a context object (entity, process, etc.) appear. These are elements for which scope has not been defined.

Modifying Controls

By default, controls are visible to all. However, you can modify only those controls attached to your reference entity or to one of its sub-entities.

 A user is connected to a reference entity in the framework of his/her assignment. For more details on assignments, see chapter "Managing Users" in the **HOPEX Power Supervisor** guide.

If according to your assignment you are connected to the "France" entity, you cannot modify controls that have "World" entity context.

However, if you are connected to the "World" entity, you can modify controls that have "France" entity context.

Merging and Duplicating Controls

From list and tree views, controls can be merged and duplicated.

Merging

In a "bottom-up" approach, similar controls can be submitted to the internal control director. It is then possible to merge these to produce just a single control. The control created in this way can be connected to several locations (entities).


To merge two controls:

1. Select **Control Library > Contextualization > Contextualization > List View**.
2. Select two or more controls to be merged.
3. Click **Merge**.
4. In the merge controls window that appears, select a Target Control from the controls you have selected.

5. Click **OK**.

The controls initially selected now form a single control.

Target control characteristics retain their value.

 *If no value was specified on the target control, those of the source control are transferred.*

All elements connected to the source control are connected to the target control.
The source control is deleted.

Duplicating

You may need to duplicate a control to divide a control into two separate controls for example.

To duplicate a control:

1. Select **Control Library > Contextualization > Contextualization > List View**.
2. Select the control that you want to duplicate.
3. Click **Duplicate**.
The duplicated control appears in the list.

PREPARING CONTROL EXECUTION

To be able to start execution campaigns, you must first:



- specify a steering calendar on controls to be assessed
See ["Defining Control Execution Calendars", page 41.](#)
- define control steps on each control
See ["Defining questions on controls", page 42.](#)
- define check-list respondents
See ["Defining Respondents", page 44.](#)
- connect processes to controls to be executed
See ["Connecting Controls to Entity Processes", page 44.](#)

Defining Control Execution Calendars

To define periodicity of control execution, you must specify the steering calendar to be used.

Specifying a control steering calendar

To specify a steering calendar:

1. In the control properties, select the **Execution** tab.
2. Select an **Execution Frequency**.
 This field is for information only.
3. Select a **Steering Calendar**.
Different steering calendars exist for different execution periodicities:
 - daily
 - monthly
 - weekly
 You can create a steering calendar if none of those supplied as standard is suitable.

Creating and configuring a steering calendar

To create a steering calendar:

1. Select **Control Library > Control Management > Steering Calendars > Steering Calendars** and click **New**.
2. In the **Steering Date** section, click **New**.
3. Open the steering date properties dialog box and select the **Scheduling** tab.

4. Specify the information required for starting the campaign including:
 - start and end dates for execution campaigns
 - ☛ *Begin and end dates specified on the steering calendar do constitute campaign start and end dates. They simply serve to define the interval within which assessment sessions can take place.*
 - ☛ *It is recommended to use a relative begin date on the steering date.*
 - start date and hour (defined in **UTC** format).
 - ☛ *For details on possible configurations, see the section concerning the scheduler in the technical article "HOPEX Studio".*
5. Select **Execute at start date & time** if you wish to launch the campaign execution immediately.
 - ☛ *If the check box is deactivated, the scheduler waits for the next recurrent date (and time) to trigger the job.*

Viewing controls connected to a steering calendar

To view which control is connected to which steering calendar:

- 1 Select **Control Library > Control Management > Steering Calendars > Controls Per Steering Calendar**.

Defining questions on controls

Before starting execution campaigns, you must define the content of check-lists used at control execution. It consists in defining questions to ask when executing controls.

You can create:

- questions concerning all controls
- questions specific to a control

To do this, you must create control steps on each control. They correspond to check-list questions/answers. The control steps can be:

- **specific**: specific to the control itself
- **inherited**: applicable to all controls, excepting particular conditions

☛ *Conditions can be applied to inherited control steps. For more details, see "[Conditioning questions](#)", page 43.*

Question/answer types

Several question/answer types are available.

OK/NO type questions/answers

The type of question proposed by default at creation of a control step is "OK/NO".

Possible answers to this question are:

- OK
- NO
- N/A: Not Applicable

☛ Only answers of type "OK/NO" are aggregated in execution campaign results. Other answer types are considered as for information only.

Other question/answer types

Other question/answer types exist. You can for example choose to enter a comment, figures, dates.

☛ For more details, see the **HOPEX Assessment** guide, chapter "Assessment Templates".

Creating questions

Questions are defined in HOPEX via control steps.

Two types of control step are available:

- **Specific control steps**: specific to the current control
- **Inherited control steps**: applicable to all controls

To create control steps corresponding to check-list questions/answers:

1. In the control properties, select the **Execution** tab.
2. Expand the **Control Steps** section.
Two subtabs are available:

- **Specific Control Steps**
- **Inherited Control Steps**

When defining control steps specific to the current control, you can at the same time define control steps applying to all controls.

☛ In the **Inherited Control Steps** subtab, only the inherited control steps meeting specified conditions and applying to the current control appear. For more details on conditions, see "[Conditioning questions](#)", [page 43](#).

3. In one of the subtabs, click **New**.
4. In the **Title** field, enter a question.
5. Indicate the question type, for example "OK/NO".

☛ For more details on question types, see "[Question/answer types](#)", [page 42](#).

☛ You can reorder control steps to define order of appearance of questions in the check-list. To do this, click the **Reorder** button.

6. Click **OK**.

Conditioning questions

You can condition presence of a question in a check-list according to certain criteria. These criteria are defined in the conditions (called MetaTests) applicable to inherited control steps.

Creating conditions on inherited control steps

To create a condition on inherited control steps:

1. In the properties of a control, expand the **Control Steps** section and select the **Inherited Control Steps** subtab.
2. Select an inherited control step.
3. In the **Condition** section that appears, click **New** to create a MetaTest.
4. Open the properties of the MetaTest created.
5. Define the **Test Expression**.

 You can also create the MetaTest in **HOPEX Windows Front-End**. For more details, see article **HOPEX Power Studio, HOPEX Studio - Publisher** guide, "Creating consistency checks", paragraph "Defining an implementation test".

6. Click **OK**.


Managing inherited control steps and their conditions

To access inherited control steps:

1. In the **Control** desktop, select **Control Execution > Check-List Preparation > Inherited Control Steps**.
All control steps present in the solution appear here.

To access conditions applicable to inherited control steps:


1. In the **Control** desktop, select **Control Execution > Check-List Preparation > Conditions on Control Steps**.

 You can connect a condition to an inherited control step in the properties of the latter.

Defining Respondents

On each control you must define persons responsible for completing execution check-lists.

To do this, you must define control responsables, that is "Responsibles" in the RACI sense of the term.

 For more details, see "[Responsibilities](#)", page 34.

Connecting Controls to Entity Processes

Controls are executed in the framework of organizational/business processes, connected to organization entities.

To connect controls to processes, see "[Scoping Controls](#)", page 36.

PREPARING CONTROL TESTING

To prepare control testing by the internal control team, you can specify a certain number of characteristics on controls.

You must also create questions that will be used to generate test sheets. To do this, you must create testing steps.

☛ For more details on testing functionalities, see ["Control testing"](#), page 83.

Defining Testing Methods

To specify control test characteristics:

1. In the properties of a control, select the **Assessment** tab.
The **Testing Method** section presents characteristics concerning testing.
2. Specify the **Testing Frequency**:
 - Yearly
 - Quarterly
 - Bi-Yearly
3. Specify the **Testing Method**:
 - Inquiry
 - Inspection
 - Observation
 - Re-performance
4. Specify the **Testing Population Size**: the total number of objects that could be controlled (for example: 1000 invoices or 100 contracts).
5. Specify the **Testing Sample Size**: value inherited by test sheets by default.

☛ For more details, see ["Specifying or modifying the sample size"](#), page 101.

Defining Test Sheet Questions

You must define testing steps on controls to be able to generate test sheets used by internal controllers.

You can:

- initialize testing steps from control steps previously defined on the control (used for check-lists in the framework of execution campaigns)

☛ For more details on control steps, see ["Defining questions on controls"](#), page 42.

- add, modify or delete testing steps

Initializing testing steps

☛ Control steps must already exist on the control to be able to initialize testing steps. For more details on control steps, see ["Defining questions on controls", page 42](#).

To initialize testing steps from control steps:

1. Click the icon of a control and select **Initialize Testing Steps**.

☛ The menu is grayed if testing steps already exist for this control.

Testing steps (specific or inherited) are created from control steps already existing on the control.

Creating testing steps

You may need to create testing steps in addition to those automatically created from control steps.

☛ For more details on control steps, see ["Creating questions", page 43](#).

Two types of testing step are available:

- **Specific testing steps**: specific to the current control
- **Inherited testing steps**: applicable to all controls

To create testing steps:

1. In the control properties, select the **Execution** tab.
2. Expand the **Testing Steps** section.

Two subtabs are available:

- **Specific testing steps**
- **Inherited testing steps**

When defining testing steps specific to the current control, you can at the same time define testing steps applying to all controls.

☛ In the **Inherited Testing Steps** subtab, only the inherited testing steps meeting specified conditions and applying to the current control appear. For more details on conditions, see ["Conditioning test sheet questions", page 46](#).

3. In one of the subtabs, click **New**.
4. In the **Title** field, enter a question.
5. Indicate the question type, for example "OK/NO".

☛ For more details on question types, see ["Question/answer types", page 42](#).

☛ You can reorder testing steps to define order of appearance of questions. To do this, click the **Reorder** button.

6. Click **OK**.

Conditioning test sheet questions

You can condition presence of a question in a test sheet according to certain criteria. These criteria are defined in the conditions (called MetaTests) applicable to inherited control steps.

Creating conditions on inherited testing steps

To create a condition on inherited testing steps:

1. In the properties of a control, expand the **Control Steps** section and select the **Inherited Testing Steps** subtab.
2. Select an inherited testing step.
3. In the **Condition** section that appears, click **New** to create a MetaTest.
4. Open the properties of the MetaTest created.
5. Define the **Test Expression**.

 You can also create the MetaTest in **HOPEX Windows Front-End**.

For more details, see **HOPEX Power Studio, HOPEX Studio - Publisher**, "Creating consistency checks", paragraph "Defining an implementation test".

6. Click **OK**.


Managing inherited testing steps and their conditions

To access inherited testing steps:

- 1. In the **Control** desktop, select **Testing > Navigator > Test Sheets > Inherited Testing Steps**.
All testing steps present in the solution appear here.

To access conditions applicable to inherited testing steps:

- 1. In the **Control** desktop, select **Testing > Navigator > Test Sheets > Conditions on Testing Steps**.

 You can connect a condition to an inherited testing step in the properties of the latter.

EXECUTING CONTROLS



Controls are executed periodically by process managers, to check that operational processes have been executed correctly and that their results comply with expectations.

Controls are executed in their context, by process and entity. They are presented in the form of check-lists. These check-lists are questionnaires presenting questions on each control. You can create your own questions, for all controls or for specific controls.

Automatically generated reports allow control execution progress follow-up and consolidation of results.

- ✓ ["Execution Campaign Principle", page 50](#)
- ✓ ["Creating Execution Campaigns", page 52](#)
- ✓ ["Starting Execution Campaigns", page 55](#)
- ✓ ["Completing Control Execution Check-Lists", page 58](#)
- ✓ ["Managing Execution Check-Lists", page 59](#)

EXECUTION CAMPAIGN PRINCIPLE

Preparing Execution Campaigns

To be able to create an execution campaign, preparatory work is required at the level of controls. You must:

- **connect processes to controls**
 ➤ See ["Scoping Controls", page 36.](#)
- **define control execution calendars**
 ➤ You must specify a steering calendar on each control to execute.
 See ["Defining Control Execution Calendars", page 41.](#)
- **define questions on controls**
 ➤ You must specify control steps for all controls or for specific controls. See ["Defining questions on controls", page 42.](#)
- **define check-list respondents**, who are control owners for a specific entity.
 ➤ See ["Defining Respondents", page 44.](#)

Control Execution Periodicity

An execution campaign groups several execution sessions.

Each campaign session groups a set of controls to be executed on the same date.

Several assessment sessions are created in parallel for each steering calendar type identified.

For example:

a session is created each week if a weekly steering calendar has been specified on certain controls

a session is started each day if a daily steering calendar has been specified on certain controls

Controls are therefore grouped in each session according to the steering calendar to which they have been connected.

See also: ["Automatic session start", page 55.](#)

Assessment Template Specific to Control Execution

Execution campaigns are automatic assessment campaigns with a specific assessment template.

The "Control Execution" assessment template is selected by default at execution campaign creation. This assessment template:

- prompts you to specify an entity.
- is used to identify controls used by processes attached to this entity and its sub-entities.

Check-list respondents are control owners in an entity or in sub-entities.


CREATING EXECUTION CAMPAIGNS

The execution campaign creation wizard enables definition of campaign scope.

To create an execution campaign:

1. In the **Control** desktop, click **Control Execution > Campaigns > Execution Campaigns**.
2. Click **New**.
3. In the creation window that appears, modify the proposed dates if necessary.

The campaign **Begin Date** marks the start of the execution campaign.

 The "Control Execution" assessment template is selected by default. For more details, see ["Assessment Template Specific to Control Execution", page 50](#).



Creation of Assessment Campaign - Properties

Local name: Execution Campaign

Assessment Campaign Owner: SMITH Bryan

Assessment Template: Control Execution

Calendar: 2013

Begin Date: 1/1/2013

End Date: 12/31/2013

4. Click **Next**.
You will now define the scope of your execution campaign.

5. In the **Assessed Parameters** field, find the root entity that interests you, using the arrows on the right of the field.

Creation of Assessment Campaign - Preview & Parameters

Local name: Execution Campaign-1

Assessed Parameters

Root Org-Unit: World@Hand Corporation

Refresh the report

1. Preview

Information	
Assessment Campaign	Execution Campaign-1
Description	
Assessment Campaign Code	
Campaign Type	Execution
Assessment Campaign Begin Date	1/1/2013
Assessment Campaign End Date	12/31/2013
Responsible user	SMITH Bryan
Assessment Template	ICM - technical framework::Control Execution

Previous Next OK Cancel


















































6. In the preview window, click **Refresh the Report**.


Elements concerning the assessment campaign appear:

- general information: for example begin and end dates, person responsible, number of objects to be assessed, number of respondents, number of contexts
- assessed objects (controls)
- context objects (entities and organizational/business processes)
- respondents

 *Respondents execute controls. For more details on control responsibilities, see "Responsibilities", page 34.*

- assessment nodes, presenting objects to be assessed in their context, with specified respondent

	 Purchasing department procedures	 Purchase Requisition Formalization	 Sales Department	 Regional Headquarter	 World@Hand Corporation		 OK/NO
	 Formalization of orders	 Issue Purchase Order	 Purchasing Department	 Regional Headquarter	 World@Hand Corporation		 OK/NO
	 Check that revenues and inputs are allocated to the right period	 Process And Record Invoices	 Sales Department	 Regional Headquarter	 World@Hand Corporation		 OK/NO
 Victoria	 Segregation of duties	 Manage Skills and Competences	 HR Process Activities	 HR Department	 Regional Headquarter	 World@Hand Corporation	user@mega.com  OK/NO
 Victoria	 Segregation of duties	 World@Hand Corporation					user@mega.com  OK/NO
 Victoria	 Segregation of duties	 Pay The Suppliers	 Purchasing Department	 Regional Headquarter	 World@Hand Corporation		user@mega.com  OK/NO
 Victoria	 Segregation of duties	 Contract Negotiation	 Supplier's Contract Negotiation	 Procurement and Accounts Payable	 Purchasing Department	 Regional Headquarter	 World@Hand Corporation user@mega.com  OK/NO

 *If no respondent has been specified on the control, or if no e-mail address is associated with the respondent, a red frame appears before the assessment node.*


7. Click **OK**.

The campaign appears in the list.

To preview execution campaign scope, before launching the campaign:

- 1) Open the properties of the campaign and select the **Preview and Parameters** tab.

You can check data such as respondent, email, control scope. If data seems incorrect or incomplete, you can modify it before starting the campaign.

 *For a reminder on work control execution preparatory work, see "Preparing Control Execution", page 41.*


STARTING EXECUTION CAMPAIGNS

When you have created the execution campaign, you must start it via the workflow.

Starting Execution Campaigns

To start the execution campaign:


- 1 In **Control Execution > Campaigns > Campaigns**, click the campaign you want to start and select **Automatic Assessment Campaign (In Preparation) > Start**.

 "(In Preparation)" corresponds to the current status of the automatic execution campaign.

The campaign is started automatically:

- on the begin date specified on the campaign
- at the time indicated on the steering calendar


Start of the execution campaign invokes automatic processing enabling planning and start of sessions.

 A message indicating that parameterization is not complete might appear. This is the case when controls of scope are not connected to a steering calendar. However you can start the campaign.

Automatic session start

Execution sessions are started according to:

- execution campaign begin and end dates
- begin and end dates and recurrences specified on the steering calendar of the controls to be executed

 For more details on steering calendars, see ["Defining Control Execution Calendars"](#), page 41.

When a due date is reached, **HOPEX** checks:

- that the campaign has not been closed manually
- that the campaign end date is not expired

If both conditions are met, the next session is scheduled.

Example 1

If the begin date specified on the steering calendar is later than the campaign end date, controls are not executed.

Example 2

On the steering date it is specified that execution is scheduled everyday at 6am.

The campaign is created and the transition is triggered at 10am.

If the check box **Execute at start date/hour** is not selected, the campaign is launched on the morrow at 6am.

☛ If the check box is selected, a message indicates scheduling in the past is not possible.

Example 3

The check box **Execute at start date/hour** is selected.

On the execution campaign, the date of the first scheduled execution is later than today's date (campaign start date).

In that case, the campaign start date corresponds to the launching of the assessment session.

Example 4

Example of scheduling on the steering calendar

The following properties enables to define a scheduling. Scheduling configuration is expressed in UTC time.

☐ Start

☒ Relative Date

☐ Reference date/time as soon as possible

Start date (relative): Reference date

☒ Start hour is relative

Start hour: 21:00:00

☐ Date Recurrence

Recurrence Type: Daily

☒ Execute at start date: time

Repeat every N days: 8

☐ Recurrence End


Recurrence End Type: No End

☐ Hour scheduling (for date recurrence)

Hour scheduling type: One time

Single trigger hour: 21:00:00

The following result is obtained:



Consulting execution campaign schedule

To consult dates and times of next execution of a campaign in progress:

- 1 Open the properties of the campaign and select the **Automatic Execution** tab.

The list of timespots defined by the steering calendar appears.

At each timespot, the execution session scope is recreated. This means that if new controls have been added, they are taken into account at the next planned execution session.

The **End Date** indicated on the campaign defines the effective end of the campaign. For more details on sessions actually launched, see ["Automatic session start", page 55](#).

The dates indicated correspond to the scheduled jobs. A new session is created at each job execution. The previous session is closed.


COMPLETING CONTROL EXECUTION CHECK-LISTS

When the execution campaign has started, you can complete check-lists. To do this, you must connect with a user with the "Business User (IC)" profile.

Completing a Check-List

To complete check-lists addressed to you:

1. Connect with a user with associated role "Business User (IC)".
2. In the desktop that opens, click **Home > My Desktop > Questionnaires and Check-Lists > My Control Execution Check-Lists**.
3. In the pane on the right, select an element in the list and click **Display Check-Lists**.
4. In the list that appears, select an object to be assessed and answer the check-list questions in the lower frame.
5. Select another object to be assessed and answer the questions.
6. Click the **Save** button.
7. When you have answered all the questions, in the check-list pop-up menu click **Automatic Assessment Questionnaire (To Be Completed) > Complete**.

 You can modify answers for as long as you do not click **Complete** in the Check-List pop-up menu.

Transferring a Check-List

If you receive a questionnaire in error, you can ask the session manager to transfer the questionnaire to another person.

To make a transfer request:


1. Select **Home > My Desktop > Questionnaires and Check-Lists > My Assessment Questionnaires**.

 In some of the solutions, the corresponding menu is as follows: **Home > My Desktop > My Responsibilities > My Assessment Questionnaires**.

2. Click the icon of a questionnaire and select **Assessment Questionnaire (To Be Completed) > Transfer Request**.

The questionnaire passes to status "To Reassign".

The manager is informed by e-mail and must reassign the questionnaire to another person.

 Transfer requests are exceptional if execution campaign creation preparatory work has been correctly carried out.

MANAGING EXECUTION CHECK-LISTS

Accessing Check-Lists


You can view control execution check-lists at any time.

To access check-lists:

- 1. Select **Control Execution > Check-List Follow-Up**.


You can view check-lists:

- sent in the framework of the campaign
- completed by respondents
- not yet completed

 For more details on content of these lists, see the **HOPEX Assessment** guide, chapter "Running Assessments", paragraph "Managing Questionnaires Sent".

Reassigning Check-Lists

If a transfer request has been addressed to you, you must reassign the check-list to another user.

 For more details on how to transfer a check-list, see ["Transferring a Check-List", page 58](#).

To reassign a check-list:


1. Select **Control Execution > Check-List Follow-Up > Uncompleted Check-Lists**.
2. Select a check-list and open its properties.

 For details, see ["Reassigning questionnaires", page 79](#). The principle is the same as for assessment questionnaires.

Following Check-Lists Up

Campaign results

For each executed control, **HOPEX Internal Control** calculates the percentage of "OK" steps in the total number of steps. This calculation is executed using an aggregation schema.

 "N/A" answers are excluded from the total number of steps. This rule can however be customized.

Check-list reports

Reports allow you to follow up check-list progress and results. For more details, see ["Control Execution Reports", page 126](#).

Displaying check-lists measures

To view check-list measures as well as the corresponding questionnaires:

1. In the properties of a control, select the **Execution** tab.
2. Expand the **Check-list Measures** section.
3. Right-click a node to display the questionnaire.

Displaying the aggregated measures

To display measures from aggregation nodes:

1. In the properties of a control, select the **Execution** tab.
2. Expand the **Execution** section.

The list of aggregated measures appears.

☛ *Only the functional administrator and the internal control director can view this list.*

ASSESSING CONTROLS



Controls can be assessed in terms of their design/efficiency. Assessment can be carried out directly on controls or remotely via questionnaires.

☛ *This chapter explains how to start assessments.*

*To configure these, see the **HOPEX Power Studio** guide, Customizing Assessments > Assessment Templates.*

- ✓ ["Direct assessment", page 62](#)
- ✓ ["Assessing Controls by Questionnaires", page 68](#)
- ✓ ["Computing Assessment Results", page 81](#)


☛ **HOPEX Internal Control** also allows internal controllers and auditors to assess questionnaires on site. For more details, see ["Control testing", page 83](#).


DIRECT ASSESSMENT

HOPEX Internal Control enables direct assessment of controls in terms of design and efficiency:

- one by one, in the properties page of the control, using measures. see ["Control Direct Assessment", page 62.](#)
- globally, using a multiple assessment table. see ["Assessing multiple controls simultaneously", page 64.](#)

This is an "expert view" assessment.

 You can assess controls for which you have editing rights. For more details, see ["Modifying Controls", page 39.](#)


 **HOPEX Internal Control** also enables assessment of risks. For more details, see ["Risk Assessment", page 66.](#)

Control Direct Assessment

Direct assessment context

Direct assessment is carried out for all context objects available in the **Scope** section of control properties:

- Organizational processes
- Business processes
- Entities

 For more details on control contextualization see also ["Scoping Controls", page 36.](#)

Assessing controls

To directly assess a control:

1. Open the properties of a control.
2. Select the **Assessment** tab, then click **Assess**.
3. In the wizard that appears, select nodes to be assessed.




An assessment node comprises:

- an object to assess
- one or several context objects (entities, processes, operations), if necessary

4. Click **Next**.

You can now select values that characterize this control (contextualized) in terms of:

- design
- effectiveness

 Other questions can be asked if your administrator has configured the questionnaire supplied as standard.

5. In the **Control Design** field, indicate whether the control is:
 - adequate
 - inadequate
 6. In the **Control Effectiveness** field, indicate whether the control is:
 - effective
 - ineffective
- Values are applied to all selected assessment nodes.
7. Specify the measure date in the calendar.
By default this is today's date. You can select a date earlier than today's date.
 8. Click **OK**.
Control measures are created for each assessment node (ie. the control in a particular context).

You can create several measures on different dates in the same way. As you create measures, the list can become lengthy. In this case, it can be useful to group measures by date in order to easily find those that interest you.

➤ To group by date, click the arrow at extreme right of the header of the **Date** column and select **Group by this field**.

Consulting assessment answers

The manager can view answers entered by the respondent when performing direct assessment. He/she can also decide to modify values calculated from these answers if he/she considers them inappropriate.

To view answers used to calculate assessed characteristics values:

1. In the **Assessment** tab of the assessed object properties, right-click the measurement that interests you and select **Display Node**.

➤ This menu is not available in the context of multiple assessment.

Answers used as the basis for calculation of values appear. They are in read-only only.

Questionnaire Display - Questionnaire

Benefits are not being offered to all eligible employees

The assessed object

Benefits are not being offered to all eligible employees

Assessment Context

- Subsidiaries
- United States
- Mega Group

Risk Assessment

Impact : Low

Likelihood : Probable

Control Level: Very Strong


The responsible/manager can decide to modify values resulting from answers.

To modify assessed characteristics values:

1. Open the properties of the assessment you want to modify.
2. Modify values in the **Signed Value** column for each assessed characteristic value.

These values replace values calculated from answers given by the respondent.

☛ Initial values are visible in the **Calculated Value** column.



Local name	Computed Value	Signed Value	Simulated A.	Assessed Characteristic
Avg Control Design				Avg Control Design
Avg Control Effectiveness				Avg Control Effectiveness
Avg Control Level (Very Strong)	1	1		Avg Control Level
Avg Impact (Low)	2	10		Avg Impact
Avg Inherent Risk (Medium)	8	5		Avg Inherent Risk
Avg Likelihood (Probable)	4	2		Avg Likelihood
Avg Net Risk (Low)	8	8		Avg Net Risk

☛ The values specified in the **Signed Value** column are not used in reports supplied by default. You can however call a **MEGA** professional to include these values in your questionnaires.

Assessing multiple controls simultaneously

If you have to assess several controls, it can be quicker to use the multiple assessment table. This table allows you to specify the same value for several assessment nodes of different controls.

☛ An assessment node comprises:

- an object to assess
- one or several context objects (entities, processes, operations), if necessary


To assess multiple controls simultaneously:

1. Select **Control Library > Direct Assessment > Multiple Assessment Table**.
2. Click **Connect Controls to be Assessed**.

The wizard that appears proposes a tree of entities to which processes and controls are attached.

3. Select an entity.
The tree expands automatically and allows you to select objects assessed **in their context**.

An object is assessed in the context of elements of the branch from the object up to the root.




In the above example, if you select the "Manage Human Resources" process, all controls and context objects located at a lower level are selected, as well as all parent context objects up to the tree root.


If you deselect a node of a branch, only the child elements of this branch are deselected.

4. Click **OK**.
The list of controls to be assessed in a particular context appears.
5. In the **Control Design** field, indicate whether the control is:
 - adequate
 - inadequate
6. In the **Control Effectiveness** field, indicate whether the control is:
 - effective
 - ineffective
7. When values have been specified, select the assessed nodes and click **Validate Assessment**.

8. Modify the effective measure date if necessary and click **OK**.

 By default the measure date is today's date. You can select a date earlier than today's date.

The **Control Level** is automatically calculated from the specified characteristics.

 The control level shows "Pass" if the control is considered to be both:

- effective
- adequate

Validation automatically creates an assessment in the **Assessment** tab of the control properties.

Assessing controls on different dates

You can at any time decide to assess controls that have already undergone a first assessment.

To reassess controls in their context:

1. Select **Control Library > Direct Assessment > Multiple Assessment Table**.
2. Click **Connect Controls to be Assessed**.
3. Select from the proposed tree the assessment nodes previously assessed.

 For more details, see "[Assessing multiple controls simultaneously](#)", page 64.

A dialog box asks you to reselect controls to be assessed.

4. Select **Yes**.
The previous values corresponding to each assessment node are proposed.
5. Keep these previous values or modify them as required, then click **Validate**.
6. Enter a date for the new measure and click **OK**.
The most recent measure values appear in the multiple assessment table.

The different control measures appear in the **Assessment** tab of the properties of each control.

Risk Assessment

You can create risk measurements to globally assess a risk on a set of objects of the organization to which it is connected (entities and processes).

To create a risk measurement:

1. Select a risk and open its properties.
2. Select the **Assessment** tab.
3. Click the **Evaluate** button.
4. In the wizard that appears, select nodes to be assessed.

 An assessment node comprises:

- an object to assess
- one or several context objects (entities and processes), if necessary


5. Click **Next**.
You can now select values that characterize this risk (contextualized) in terms of:
 - **Impact:** characterizes impact of the risk when it occurs.
 - "Very Low"
 - "Low"
 - "Medium"
 - "Very High"
 - "High"
 - **Likelihood:** characterizes probability that the risk will occur.
 - "Rare"
 - "Possible"
 - "Likely"
 - "Probable"
 - "Certain"
6. Specify the risk measurement date.
7. Click **OK**.

ASSESSING CONTROLS BY QUESTIONNAIRES

HOPEX Internal Control enables assessment of your controls using standard questionnaires.


The assessment questionnaires are sent to appropriate respondents.

Assessment Principle

 *Assessment is a mechanism enabling sending of questionnaires to an identified population to obtain assessments (qualitative or quantitative) on identified objects. The assessment is then supplemented by results analysis tools.*


Concepts overview

Assessment session

 *An assessment session is an assessment carried out over a determined time period. When an assessment session is published, a questionnaire is sent to targeted users.*

Questionnaire

Assessment **questionnaires** are sent to appropriate **respondents**.

 *A questionnaire proposes a list of predefined questions that can be applied to a control.*

Assessment campaign

With **HOPEX Internal Control**, an assessment session is started in the context of an assessment **campaign**.

 *A campaign enables grouping of several sessions.*

Assessment Steps

Preparing the work environment

Before starting an assessment campaign, you must first prepare the work environment. Check that you have:

- connected controls to processes
See ["Scoping Controls", page 36](#).
- connected processes to organization entities
See ["Connecting Environment Objects", page 20](#).
- defined questionnaire respondents and specified an e-mail for each
See ["Specifying control responsible users", page 34](#).

Starting a campaign and assessment sessions

For an example of the different steps in starting an assessment campaign, see ["Steps of assessment workflow with campaign", page 662.](#)

☛ To discover all the possibilities offered by **HOPEX**, see ["Workflows Linked to Assessments", page 146.](#)

- ✓ ["Creating Assessment Campaigns", page 69](#)
- ✓ ["Creating Assessment Sessions", page 71](#)
- ✓ ["Deploying Assessment Campaigns", page 72](#)

☛ Deploying the assessment campaign is optional. If you are not deploying the assessment campaign, go directly to ["Validating Assessment Campaigns", page 74.](#)

- ✓ ["Defining assessment campaign scope", page 73](#)
- ✓ ["Planning Assessment Campaigns", page 73](#)
- ✓ ["Validating Assessment Campaigns", page 74](#)
- ✓ ["Deploying Assessment Sessions", page 74](#)
- ✓ ["Defining assessment session scope", page 75](#)
- ✓ ["Validating Assessment Sessions", page 75](#)
- ✓ ["Starting Assessment Sessions", page 76](#)

☛ It is not necessary to manually execute deployment, validation and launch if you choose to launch the assessment session immediately after you created it or if you schedule it from the creation wizard. See ["Variations in the Launch of Assessment Sessions", page 639.](#)

When assessment sessions have been started, you can proceed with the following:

- ✓ ["Completing Questionnaires", page 77](#)
- ✓ ["Following Up Session and Questionnaire Progress", page 78](#)
- ✓ ["Closing the assessment session", page 80](#)

Creating Assessment Campaigns

📖 A campaign enables grouping of several sessions.

You can create an assessment campaign:

- **From a template**

Creating a campaign from a template allows:

- use of the same template in all assessment sessions.
- definition and planning of sessions by distributing elements to be assessed between different sessions.

- **without a template**

In the case of creation of a campaign without using a template, a template can be specified at the time of creation of each session.

☛ This section presents assessment campaign creation using the "Control Assessment" assessment template supplied as standard. Possibilities offered by assessment campaigns without using a template are described in the **HOPEX Common Features** guide.

To create an assessment campaign:

1. In the **Control** desktop, select **Assessment Campaigns > Campaigns > Campaigns > Campaigns**.
The list of campaigns appears in the edit area.
2. Click **New**.
The campaign creation page appears.
3. In the **Campaign Type** field, select "With Template".
4. Select the "**Control Assessment**" **Assessment Template**.
5. Modify the **Calendar** if required.


☛ The calendar serves to initialize begin and end dates of the assessment campaign.

6. Specify the **Begin Date** and the **End Date**.
7. Click **Next**.
8. In the **Scope Selection** page, select an entity.

☛ The tree automatically expands if the **Automatic Expand** box is selected.

The tree allows you to select controls assessed **in their context**.

An object is assessed in the context of elements of the branch from the object up to the root.



In the above example, if you select the "Manage Human Resources" process, all controls and context objects

located at a lower level are selected, as well as all parent context objects up to the tree root.

☛ If you deselect a node of a branch, only the child elements of this branch are deselected.

9. Click **Next**.
10. In the preview window, click **Refresh the Report**.
Elements that will be assessed appear.
In particular, you can view:
 - assessed characteristics (defined in the assessment template)
 - assessed objects (controls)
 - context objects (processes or entities)
 - assessment nodes which correspond to controls placed in their context objects, associated with respondents.
11. Click **OK**.

Creating Assessment Sessions



An assessment session is an assessment carried out over a determined time period. When an assessment session is published, a questionnaire is sent to targeted users.

Creating Assessment Sessions

To create an assessment session:

1. Open the properties of the campaign and select the **Sessions** page.
2. In the **Assessment Sessions** section, click **New**.
You may choose to launch the assessment session later, without specifying when.
3. To do this, in the session launch window, select **"not now"**

☛ This option enables you to complete the assessment session with data, for example with the session owner and the assessment dates. In the framework of an assessment campaign with template, the session template is specified by default. It cannot be modified. For more details on creation of assessment sessions without template (ad-hoc or advanced mode), see ["Creating Ad-Hoc Assessment Sessions"](#), page 643 or ["Creating Expert Assessment Sessions"](#), page 645.

☛ You may choose to launch the assessment session now or to schedule it. See ["Creating and launching assessment sessions"](#), page 72.
4. Click the **Save** button.
5. You can create other assessment sessions in the same way.

☛ The assessment sessions created will be used to plan the assessment campaign, that is to distribute between the different assessment sessions the objects to be assessed in their context. See ["Planning Assessment Campaigns"](#), page 73.

Viewing Assessment Sessions

To view assessment sessions with planned assessment dates in a Gantt chart:

1. In the properties of an assessment campaign, select the **Sessions** tab and expand the **Gantt** section.

Creating and launching assessment sessions


See ["Creating Assessment Sessions", page 71](#).

You may create an assessment session and choose to launch it:

- **"now"**
If you choose this option, you will be able to see the assessment session being launched. This option enables to execute the following workflow transitions at the same time:
 - deploy: ["Deploying Assessment Sessions", page 74](#)
 - validate: ["Validating Assessment Sessions", page 75](#)
 - start: ["Starting Assessment Sessions", page 76](#)
- after saving, in batch mode (**"as soon as possible"**)
- later, specifying the date and hour in UTC format (**"planned"**)

Deploying Assessment Campaigns

Deploying an assessment campaign consists of indicating in advance the objects to be assessed at the level of each session of the campaign.

 *This step is optional. If you are not deploying the assessment campaign, go directly to ["Validating Assessment Campaigns", page 74](#)*

To deploy a campaign:

1. In the list of campaigns, click the icon of the campaign you created and select **Assessment Campaign (In Preparation) > Deploy**.
2. In the deployment window, indicate that you want to deploy the campaign now.

 *A window asks if you want to deploy the campaign:*

- now
- as soon as possible (after dispatch)
- at a later date

3. Click **OK**.
Assessment nodes are created.

 *An assessment node comprises:*

- an object to assess
- a respondent (or an assignment, which is a respondent associated with a particular profile)
- one or several context objects if necessary (entities and processes)

You can now define assessment campaign scope. See ["Defining assessment campaign scope", page 73](#).

Defining assessment campaign scope

Having deployed the assessment campaign, you must:

- define the scope, that is select the assessment nodes you want to include in your campaign.
- specify respondents.

➡ For more details on assessment nodes, see "[Deploying Assessment Campaigns](#)", page 72

Defining assessment campaign scope

To define campaign scope:

1. In the properties of the campaign, select the **Effective Scope** tab. The list of assessment nodes from your deployment appears.
2. Select the values you want to remove from the campaign and click the **Unvalidate** button.

Specifying respondents

To add or modify respondents:

1. Select the elements that interest you and click **Set Respondent**.

Planning Assessment Campaigns

When campaign scope has been defined and assessment sessions created, you can plan the campaign.

This consists of distributing assessments between the different assessment sessions.

To plan the campaign:

1. In the properties of the assessment campaign, select the **Planning** tab.

➡ The **Planning** tab is visible only when assessment sessions have been created.

- In the right pane, select the assessment sessions in which you want to assess which control in its context (process or entity).

☛ If you don't see the previously created assessment sessions, click the **Refresh** button.

All Campaigns		Properties of Assessment...					
		Characteristics	Sessions	Scope Selection	Preview & Parameters	Effective Scope	Planning
		Properties	Delete	Refresh	PDF	Excel	Instant Report
Organizational Process	Business Process	Org-Unit	Assessed Object	Assessor	Assessment Session-1	Assessment Session-2	
<input type="checkbox"/>	Contract Negotiation	Supplier's Contract...	Purchasing Dep...	Purchasing department...	Kim	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>		Manage Skills and...	HR Department,...	Time control	Kim	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Pay The Suppliers	Suppliers Settleme...	Purchasing Dep...	Payment executed by a...	Kim	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Issue Purchase Order	Purchasing Order I...	Purchasing Dep...	Control-1	GALLAIS-HAM...	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Quotation Requisition	Supplier's Contract...	Purchasing Dep...	Control-1	GALLAIS-HAM...	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Process And Record In...	Supplier Invoice Pr...	Purchasing Dep...	Control-1	GALLAIS-HAM...	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>		Purchasing Order I...	Purchasing Dep...	Purchasing department...	Bill	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Contract Negotiation	Supplier's Contract...	Purchasing Dep...	Segregation of duties	Bill	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input type="checkbox"/>	Receive Goods Or Serv...	Goods or Services...	Purchasing Dep...	Purchasing department...	Bill	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Issue Purchase Order	Purchasing Order I...	Purchasing Dep...	Purchasing department...	Bill	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	Contract Negotiation	Supplier's Contract...	Purchasing Dep...	Formalization of orders	Bill	<input type="checkbox"/>	<input type="checkbox"/>

☛ Respondents are specified at step "Defining assessment campaign scope", page 73.

Validating Assessment Campaigns

When you have planned the assessment campaign, you can validate it.

The effect of assessment campaign validation is to freeze its parameters (for example scope or planning).

To validate the campaign:

- Click the campaign icon and select **Assessment Campaign (In Preparation) > Validate**.

You can now prepare start of assessment sessions.

Deploying Assessment Sessions

Having planned and validated your campaign, you can deploy assessment sessions.

Deployment enables computing of all possible assessment nodes for the session.




An assessment node comprises:

- an object to assess
- a respondent (or an assignment, which is a respondent associated with a particular profile)
- one or several context objects if necessary (entities and processes)

The session manager can then review this list.

To create the list of assessment nodes of a session:

1. Open the properties page of the campaign and select the **Session** tab.
2. In the **Assessment Session** section, right-click the session that interests you and select **Assessment Session (In Preparation) > Deploy**.


 An intermediate window asks if you want to execute the deployment now, as soon as possible (after dispatch) or at a scheduled date.

This operation can take several minutes.

Defining assessment session scope

Having deployed the assessment session, you can:

- define the scope, that is select the assessment nodes you want to include in your session.
- specify respondents.

 If you have defined the scope on the assessment campaign, you do not necessarily need to redefine it on the assessment session. For more details, see "[Defining assessment campaign scope](#)", page 73.

Defining assessment session scope

To access the list of calculated assessment nodes:

1. Open the properties of the assessment session and select the **Effective Scope** tab.
From this list you can duplicate, validate, invalidate or delete elements to be assessed, and assign a respondent.

Specifying respondents

To add or modify respondents:

1. In the **Effective Scope** tab of session properties, select the elements that interest you and click **Define Respondent**.

Validating Assessment Sessions

The effect of assessment session validation is to generate questionnaires, without however sending these to addressees.

Generating questionnaires

To generate questionnaires:

1. Open the properties page of the campaign and select the **Session** tab.
2. In the **Assessment Session** section, click the session that interests you, then **Assessment Session > Validate**.
All questionnaires are created with status "To send". This operation can take several minutes.

You can now view questionnaires that have been generated.

Viewing Generated Questionnaires

To view generated questionnaires:

1. In the properties of an assessment session, select the **Questionnaires** tab.
2. Select the row relating to the assessment session and click **Display Questionnaires**.
3. Open each of the questionnaires to display the associated assessment nodes and questions.

☛ *If questionnaire presentation is unsatisfactory, the functional administrator can modify it at this stage.*

*For more details see the **HOPEX Assessment** guide, "Assessment Template" chapter.*

*In the solution, questionnaire templates are available in the tab concerning campaign management > **Preparation** > **Questionnaire Templates**.*

The questionnaire supplied as standard for the "Control Assessment" assessment template proposes questions concerning:

- control efficiency/design level
- possible improvements

☛ *At this stage you can still modify presentation of questionnaires.*

☛ *It is recommended that the assessment session be validated just before starting the session. If you validate too early, information concerning respondents could be incorrect.*

Regenerating Questionnaires

You may need to regenerate the questionnaires if for example you decide to modify respondents before starting the assessment session.

To regenerate questionnaires:

1. Right-click the assessment session concerned and select **Assessment Session (To Start) > Regenerate Questionnaires**.


Starting Assessment Sessions

The effect of starting an assessment session is to send questionnaires to respondents.

To send questionnaires to respondents:

1. Select **Assessment Campaigns > Campaigns > Campaigns**.
The list of campaigns appears in the navigation tree.
2. Select the campaign that interests you and click **Properties**.
Properties of the campaign appear in the edit area.
3. In the **Sessions** section, click the session that interests you, then **Assessment Session > Start**.
The session activation page appears.

4. Click the **Save** button at top of the page.
The assessment questionnaires are sent to respondents defined in the assessment session perimeter.

 A questionnaire proposes a list of predefined questions that can be applied to a control.

Completing Questionnaires

The steps described here concern questionnaire respondents.


 For more details on questionnaire processing steps, see ["Questionnaire Generic Workflow", page 111.](#)

Accessing Assessment Questionnaires

After starting an assessment session, questionnaire addressees receive a notification.

To complete questionnaires:

1. Select **Home > My Desktop > Questionnaires and Check-Lists > My Assessment Questionnaires.**
The list of questionnaires to be completed appears.
2. Select the questionnaire that interests you and click **Display Questionnaire.**
3. Select the questions and reply to these in the lower part of the window.
4. Click **Save.**
5. Close the questionnaire display window.
6. Click the questionnaire in the questionnaires list and select **Assessment Questionnaire (To Be Completed) > Submit Answers.**

 Questionnaires are visible from this menu as long as the assessment session is not closed. If the assessment session is closed, you can consult them in the **Questionnaires** tab of the assessment session.

Requesting questionnaire transfer


If you receive a questionnaire in error, you can ask the session manager to transfer the questionnaire to another person.

To make a transfer request:

1. Select **Home > My Desktop > Questionnaires and Check-Lists > My Assessment Questionnaires.**

 In some of the solutions, the corresponding menu is as follows: **Home > My Desktop > My Responsibilities > My Assessment Questionnaires.**

2. Click the icon of a questionnaire and select **Assessment Questionnaire (To Be Completed) > Transfer Request**.
The questionnaire passes to status "To Reassign".
The manager is informed by e-mail and must reassign the questionnaire to another person.


 *Transfer requests are exceptional if execution campaign creation preparatory work has been correctly carried out.*

Following Up Session and Questionnaire Progress

Consulting Session Results

To consult progress of an assessment session:

1. Open the properties of the assessment session and select the **Reports > Follow-Up** tab.

 *For more details on this report, see "Campaign Result Tree", page 129.*

Validating Assessment Questionnaires

To access the list of assessment questionnaires completed by respondents:


1. In the **Control** desktop, select **Assessment Campaigns > Campaigns > Questionnaire Follow-Up > Answered Questionnaires**.
The list of completed questionnaires appears.
Note that workflow status has passed to "To Be Validated".
2. Select the questionnaire that interests you and click **Display Questionnaires**.
Content of the questionnaire appears in a new tab. You can view answers.
3. Close the questionnaire display window.
4. If you consider that the questionnaire has been correctly completed, click its icon and select **Assessment Questionnaire (To Be Validated) > Validate**.
The questionnaire is closed and results are automatically calculated.

Asking a respondent to modify answers

If answers to a questionnaire are not suitable, you can ask the respondent to modify these.

To make a modification request:

1. Click **Assessment Campaigns > Campaigns > Questionnaire Follow-Up > Answered Questionnaires**.
2. Click the icon of a questionnaire and select **Assessment Questionnaire (To Be Validated) > Ask For Modification**.

 *The respondent can modify his/her answers. See "Completing Questionnaires", page 77.*

Viewing assessment campaign reports


Reports specific to assessment campaigns are available. For more details, see ["Control Assessment Reports", page 129](#).

Reassigning questionnaires

If a respondent has made a transfer request, you must reassign the questionnaire.

To reassign a questionnaire:

- From the list of questionnaires sent, select a questionnaire.
 - The questionnaires are accessible from different menus according to the desktop used:*
 - With the **MEGA** solution, you can access the questionnaires using the **Campaign Management** navigation tab.
 - On the assessment questionnaire laptop, the questionnaires are accessible from the **My Questionnaires** navigation pane.
- Open the properties dialog box of the questionnaire concerned and select the **Reassignment** tab.



This tab only appears when the questionnaire has "To Reassign" status.

- Select all nodes to be assessed and click the **Reassign** button.
- Using the search page that opens, select a questionnaire and click **OK**.

If person assignments have been specified (for example, the questionnaire should be sent to a person in the context of a business role in particular), you can reassign the questionnaire in the section provided for this purpose.

The new respondent appears in the **Correspondent** column.

- Select the icon of the questionnaire and select **Assessment Questionnaire (To be Reassigned) > Reassign**.

The new respondent receives an e-mail. He/she can complete the questionnaire, status of which is again "In Progress", then submit answers.

Closing the assessment session

You can close the session at any time.

To close an assessment session:

1. Open the properties page of the campaign and select the **Session** tab.
2. In the **Assessment Session** section, right-click the session that interests you and select **Close**.

All questionnaires are automatically closed. This operation can take several minutes.

☛ *Results are valid only if the session is closed.*

COMPUTING ASSESSMENT RESULTS

Metaattribute	Computed / Not Computed	Explanations
Control Design (IC)	Computed through the [Internal Control - Control Attributes] macro	<ul style="list-style-type: none"> - if assessment node, value computed from the assessed characteristic "Control Design" (IC). - if aggregation node, value computed from assessed characteristic "Average percentage of Pass Control Level".
Control Effectiveness (IC)	Computed through the [Internal Control - Control Attributes] macro	<ul style="list-style-type: none"> - if assessment node, value computed from the assessed characteristic "Effectiveness". - if aggregation node, value computed from the assessed characteristic "Average percentage of Pass Control Level".
Control level (IC)	Computed through the [Internal Control - Computed Control Attributes] macro	Rounded result obtained from the formula: Control Design (IC) * Control Effectiveness (IC)
Control Execution Value (IC)	Not computed	

☛ For more details on aggregation, see ["Aggregation Schemas", page 100](#).

For MetaAttribute update, the value of the most recent assessment is taken into account (direct assessment or through campaign).

CONTROL TESTING



Control tests can be carried out to complement operational management reviews. These tests consist of carrying out an internal audit on controls. **HOPEX Internal Control** allows internal controllers to:

- ✓ execute tests on site by completing test sheets
- ✓ assess these executed tests
- ✓ assess controls in terms of design and efficiency by means of questionnaires.
- ✓ implement action plans to improve controls for which issues have been identified
- ✓ complete expense sheets and time sheets

The testing process consists of three phases:

- ✓ ["Preparing Tests", page 84](#)
- ✓ ["Executing Tests", page 99](#)
- ✓ ["Test Follow-Up", page 109](#)

PREPARING TESTS

Functionalities described here essentially concern the internal control director or the functional administrator.


The lead controller intervenes to define the work program, which enables:

- execution of test activities
- assessment of controls by means of questionnaires

Preparation of tests consists of creating a test plan and tests, and planning these before controllers intervene in the field.

To prepare tests:

- In the **Control** desktop, select **Testing > Preparation**.



Creating a Test Plan

The test plan is prepared by the internal control director.

The plan is generally defined on a period of one year. This plan contains all tests to be executed in the year.





An audit or test plan is the description of the scope and planning of audits or tests executed in the framework of this plan. It is carried out in accordance with standards and practices. It comprises a description of the approach and the planning schedule. It comprises several audits or tests carried out during a given period.

To create a plan:


1. In the **Control** desktop, select **Testing > Preparation > All Plans**.
2. In the dialog box that appears, click the **New** button.
The new plan appears.
3. Open the properties of the plan.
4. In the **Characteristics** tab, modify the **Name** of the plan.
5. Select the **Nature** of the plan:
 - Audit
 - Test
 - Mixed

 If you have only the **HOPEX Internal Control** solution, the plan nature is automatically specified and cannot be modified.

 Depending on the selected nature, a **Tests** and/or **Audits** tab appears in the properties of the plan.

 If you selected "Test" or "Mixed" values, an assessment campaign is created at validation of the plan. This will enable generation of questionnaires to internal controllers for assessment of controls. For more details, see "[Assessing Controls](#)", page 102.

6. Select the **Calendar** of the plan.
7. Modify the **Begin Date** and the **End Date** if necessary.

 The **Status** is defined automatically by the workflow.
8. Click **Save**.

The plan is created.

You can now create tests directly in the plan page.

Planning Tests


Tests are planned by the internal control director.

 A test is assigned to a controller in the framework of a plan.

Creating a test

To create a test:

1. Click **Testing > Preparation > All Plans**.
2. Open the properties of the plan that will include the test to be created.
3. Click **Tests**.
4. Click **New**.
The new test appears under the plan.

 To define characteristics of the test, see "[Defining test properties](#)", page 86.

Accessing tests

To access tests of a test plan:

- 1 Click **Testing > Plans** and expand a plan.
The tests (or audits, depending on the plan nature selected) corresponding to the plan appear.

☛ You can also access the list of tests via the menu **Testing > Preparation > All Tests**.

Defining test properties

You can specify certain information on tests.

General characteristics

General characteristics of the test are:

- **Name**: test name.
- **Code**: you can assign a code to the test.
- **Included in the Initial Plan**: this attribute is defined automatically according to plan status at the time of creation of the test. It indicates if the test was present at plan creation, or if it was added later.
- **Entity** controlled
- **Lead Controller**: lead controller name.
- **Main Control Correspondent**
- **Objective** of the test.
- **Category** of the test:
 - "Compliance"
 - "Efficiency"
- **Status**: this attribute is defined automatically and modified at workflow transitions.

Justification and workload

In this section you can enter the following characteristics:

- **Justification** of the test
- **Origin**: follow-up, specific, recurrent, etc.
- **Priority**: priorities can be specified for tests. You can select tests to be integrated in the plan based on this priority criterion.
- **Estimated Duration** (days).
- **Estimated Number of Resources**
- **Estimated Workload**

☛ The following characteristics are automatically calculated:

- **Effective Workload (Hours)**: calculated from the effective workload defined on time sheets or on activities if no time sheet has been entered.
- **Estimated Number of Resources**

Scope

You can connect business or organizational processes to the test.

These can be used to automatically generate the test work program .

☛ For more details, see ["Creating work programs automatically", page 94.](#)

Summary

In **Summary** of the completed test, you can indicate:

- Its **Key Strengths**
- Its **Key Weaknesses**
- **Evaluation**: good overall level, can be improved, etc.

Milestones

In the **Milestones** section, you can indicate a **Planned Begin Date** and a **Planned End Date**. These dates constitute audit milestones.

☛ You can choose to enter milestones at a later stage.

Users

In the **Users** section, you can specify test participants:

- **Test Controller**: controllers having been previously defined, you can connect but not create controllers. See ["Assigning resources to tests", page 91.](#)
- **Person tested**
- **Other Participant in Test** (for information only)

Skills

You can specify skills required by controllers to execute tests.

To define skills required for the test:

- In the **Skills** frame, click **New** or **Connect** to create a skill or connect an existing skill.

When assigning controllers to a test, you will be able to compare skills of controllers with skills required for the test. For more details on the report providing this information, see ["Assigning a resource to a test", page 91.](#)

Creating "template" tests

"Template" tests are work programs specially prepared to be applied to new tests.

This status is exclusively reserved for tests of a plan which is itself defined as a template. It applies automatically to existing tests of the template plan, and is proposed at creation of a new test on this same plan.

To define a test plan as a template:

1. Click **Testing > Preparation > All Plans**.
The list of plans appears in the edit window.
2. Click the icon of the plan in question and select **To Be Validated > Set As Template**.

Selecting tests to be executed

HOPEX Internal Control provides the internal control director with decisional help in selecting tests to be executed.


You can sort tests according to certain criteria, in order to:

- view previous tests
- find tests planned but not finally executed

Viewing the test coverage report

HOPEX Internal Control supplies a report providing information on the number of tests executed on each entity between two dates. It indicates entities that require testing, and enables generation of the corresponding tests.

To access this report:

1. Click **Testing > Decisional Reports > Entity Coverage**.
2. In the edit window, select a begin date and end date.
3. If required, select the score obtained by the test or its status.
4. Refresh the report by clicking the **Refresh** button  at the bottom of the report.

For each tested entity the report presents:

- The number of tests executed between the two dates (effective begin and end dates)
- The name of the last test
- The end date of the last test (effective end date), or its state if it is still in progress
- The score of the last test

To generate tests corresponding to one or several entities:

1. Select the entity or entities that interest you and click the **Generate Tests** button.
A wizard asks you to choose a plan. The tests are generated.

Consulting test histories

Consulting the history of tests can simplify your choice of tests to be executed.


In the list of tests of a test plan, you can consult assessments of the test.

You can sort tests based on this criterion, allowing you to create tests on appropriate entities.

To group tests by assessment:

1. In menu **Testing > Plans**, select the test plan that interests you and click **Properties**.
Test plan properties appear.
2. Click **Tests**.
The list of tests in the plan appear.

3. Click the "Evaluation" column title.

 If the column does not appear, you can display it using the arrow located at extreme right of a column header.

Tests are then sorted by this criterion.

An arrow associated with the column enables ascending or descending sort order.

Consulting tests not executed

Tests can remain in "Published" status never to be executed, due to another test being of higher priority.

Tests published or in progress can also be canceled via the workflow.

Grouping tests by status enables identification of those that must be recreated on a subject.

To find tests not executed of a previous test plan:

1. In menu **Testing > Plans**, select the plan that interests you.
Properties of the plan appear with the list of tests it contains.
2. Click the "Status" column title.
Tests are then sorted by this criterion.
An arrow associated with the column enables ascending or descending sort order.


Test assessment and status are defined in its properties. For more details, see ["Defining test properties", page 86](#).

Viewing previous test expenses

A report allows you to view expenses of previous audits.

To access this report:

1. Click **Testing > Decisional Reports > Expenses Report**.
2. (Mandatory) Select a **Plan**.
3. (Optional) Specify parameter values that interest you from among:
 - audits
 - expenses categories
 - controllers

 If you do not select a value for tests/categories/controllers, all tests/categories/controllers of the plan are taken into account.

Selecting tests to be integrated in the test plan

Tests can be created. They are not active until validated. These tests are accessed from menu **Testing > Preparation > Potential Tests**. Certain are part of the definitive plan, while others are discarded.

HOPEX Internal Control proposes tools simplifying selection of tests to be integrated in the plan.

Discarding tests

Potential tests considered of low priority can be discarded via the workflow.

To discard a test:

1. Click **Testing > Preparation > Potential Tests**.
The list of potential tests is displayed in the edit area.
2. Click the icon of the test to be discarded and select **To Be Validated > Discard**.

The test is discarded but not deleted. It could serve as a template for a new test the following year.

Validating tests

You can validate tests:

- globally, at validation of the test plan
- individually

Validated tests:

- disappear from the **Testing > Preparation > Potential Tests** menu.
- appear in the **Testing > Preparation > Tests to be Published** menu.

Planning tests using a Gantt chart

A report allows the internal control director to plan the different tests of a test plan.

To display this report:

1. Under **Testing > Plans**, select the plan in question.
The plan properties appear in the edit area.
2. In its properties select the **Schedule** tab.
A Gantt chart describes tests of the plan.

By default, planning relates to the current year, but you can view audits over a more precise period.

You can redefine the Gantt chart display period:

- by selecting a calendar period.
- or specific begin and end dates.

You can modify test dates in the diagram:

- by moving the period begin or end dates using the mouse.
- by clicking the center of the period and by moving the mouse to simultaneously move the begin and end dates.

Zoom and reframing functions at the right of the chart allow you to customize display.



Zoom in on calendar



Zoom out



Reframing

☛ You can also zoom within the Gantt chart using the mouse wheel.



You can add tests from this chart.

Assigning resources to tests


Before assigning a resource to a test, you can view its availability and skills.

Viewing resource availability

To view resources available with necessary skills for a test:

1. Open the properties of the test plan concerned.
2. Select the **Assign Resources** tab.
By default, the report presents tests of the test plan over the year. You can display those of a particular period.
3. In the table at top left, select a test.
4. In the table at top right, select a resource of which you wish to display availability.
 *You can select several resources.*
5. In the lower frame "Assign Resources", click the **Refresh** button .

Two charts present:

- Skills required by the test and skills of the selected resource.
 - Availability of the resource on test dates.
The color of the test period depends on the number of resources assigned to it related to the estimated number of resources:
 - Green if the test has a sufficient number of resources
 - Orange if resources are insufficient
 - Red if no resources are assigned
-  *These two charts should be refreshed separately.*

Assigning a resource to a test

To assign a resource to a test:

1. In the **Assign Resources** tab of the test plan properties, in the top left frame, select the required test.
2. In the frame at top right, select a person.
3. Click the **Assign** button.

 *To remove a controller from the test, carry out the same procedure, but click the **Unassign** button.*

Specifying a lead controller for a given test

To specify the lead controller on a test:

1. Open the properties of the test concerned.
2. Specify the **Lead Controller** field.

Sending the Notification Letter

After having completed the specifications required for execution of a test, the internal control director can send a notification letter informing controlled persons of the test.

 *For more details on participants, see "Users", page 87.*

Sending this notification letter is not included in the workflow. It precedes the next step in the workflow which consists of publishing the test. See ["Publishing tests", page 92](#).

Creating notification letters

To create the test notification letter:

1. Click the icon of the test and select **Deliverables > Notification Letter**. A message asks if you want to open or save the file. The document presents the comment entered in characteristics of the test.

When the document has been saved, you can open and modify it.

You can also connect it to the test as a business document, under the "notification letters" category.

Connecting the notification letter to the test

The file is generated from test content, but is not connected by default to the test.

To connect the notification letter to the test and make it a business document:

1. Open properties of the test.
2. Select the **Documents** tab.
3. Click the **New** button.
The **Creation of Business Document** dialog box appears.
4. Indicate the business document name.
5. In **File Location**, click the **Browse** button.
The **File Location** dialog box appears.
6. Click **Browse** and select the file.
7. Click **Upload**.
8. In the document creation dialog box, in **Document Pattern**, select "Notification Letter".
9. Click **OK**.
The document appears in the list of documents attached to the test.

Validating tests

When the internal control director decides that a test should be executed as part of the test plan, he/she validates the test.

 *An assessment session is created. This will enable generation of questionnaires to internal controllers for assessment of controls. For more details, see ["Assessing Controls", page 102](#).*

Publishing tests

HOPEX Internal Control enables preparation of tests and only making these public to controllers when planning is completed.

To access the list of tests to be published:

1. Click **Testing > Preparation > Tests to be Published**. They are status "In Preparation".

To make a test public:

1. Right-click the icon of the test.

2. Select **To Be Published > **Publish**.**

Test status changes to "Published".

Having been published, tests appear in the work program of controllers.

Preparing Tests

Supervision of test progress is assured by the lead controller. In the test preparation phase, he/she establishes the work program and assigns activities to controllers.

Work program creation prerequisites

So that the work program can be generated:

- processes (organizational or business) must be connected to the entity
- controls must be connected to processes

Work program content

HOPEX Internal Control enables automatic creation of a work program structure from:

- the tree of processes connected to the entity, or
- the processes specified in the test scope

➤ If no process has been specified in the test scope, all processes connected to the entity will appear in the work program.

➤ To connect processes to an entity, see ["Scoping Controls", page 36](#).

Environment objects	Objects created in the work program
Process (organizational or business)	Test theme
Control (connected to process)	Test activity

➤ The entity is represented by the test.

Test theme

A theme corresponds to a process.

Themes can be used to group test activities and workpapers, that is to organize test content.

Test activity

A test activity corresponds to a control.

It is the basic element of the test. It enables assignment of responsibility to the controller.

Workpaper

A workpaper comprises points to be checked on a given subject in the course of an audit or test activity.


A workpaper is generated for each generated test activity. For more details, see ["Creating workpapers", page 100](#).

Creating work programs automatically

To create a work program automatically:

- 1 Click the icon of the test and select **Generate Work Program**. This command will duplicate the tree of processes for the entity in the scope of the test.


If processes are explicitly specified in the test scope, only these processes will be automatically generated in the work program structure.



Completing the work program manually

The lead controller can complete the test manually to specify its content. He/she can add or remove themes/activities in the **Work Program** tab of the test.

☞ From this tree, the controller can create workpapers and issues. For more details, see ["Executing Tests", page 99](#).



Creating themes

To create a theme:

1. In the properties of a test, select the **Work Program** tab.
2. Click the icon of the test and select **New > Test Theme**.
The theme created appears in the tree of the work program.
3. Display properties of the theme.
You can:
 - modify its name
 - select a parent test theme (if you want to create a tree of themes)
 - connect the test theme to a process
 - enter a comment
4. Click **OK**.
You can view the tree of themes and sub-themes created. You can now create activities and workpapers.

Creating activities

A test activity is a test element relating to a control.

To create an activity:

1. In the properties of a test, select the **Work Program** tab.
2. Click the icon of the test (or theme) and select **New > Test Activity**.
The activity created appears in the tree of the work program.
3. Display properties of the activity.
4. Enter the name of the activity.
5. Connect the activity to a **Theme** if you want the activity to be located under a theme in the tree.
6. Connect the test activity to a control.
7. Select the **Owner** of the test activity, who can be a controller or the lead controller of the current test.
8. Indicate the **Estimated Workload**.

 You can later manually enter the effective workload on this activity.

9. Click **OK**.

Assigning activities

For each activity, the lead controller specifies:

- Start and end dates
- Estimated workload
- Controller responsible for execution

To enter this data:

1. In the properties of the test, select the **Activities** tab.
2. Open the properties of the test activity concerned.
3. In the **Test Activity Owner** field, using the right-pointing arrow, select a controller from among the candidate controllers.
4. Enter test activity start and end dates.
5. Specify the workload.

Reviewing the work program

The lead controller can proceed with a report on the work program. This report enables a check that:

- task assignment has been correctly carried out
- the work program covers the appropriate risks and processes

Consulting the work program report

To access work program reports:

1. In the page of a test, select **Reports > Work Program**.

You can view:

- comparison of resources allocated and resources available:
- workload (in person/days)
- workload by theme (in person/days)
- activities by theme

Exporting the workload under Excel


The work program under Excel covers themes, sub-themes, activities and workpapers.

Having the work program available under Excel allows:

- consultation of the complete work program without having to access objects individually
- storage of a printed version of the work program
- viewing tasks to be executed at indication of an issue

To export the work program:

1. In the test page, **Work Program** tab, right-click the tree root and select **Deliverables > Export Work Program (Excel)**.

 A pop-up window opens at the bottom of the page. If your navigator blocks these windows, you cannot see file export. In this case, deactivate pop-up blocking in the navigator.

You can then modify the work program in Excel.

When the work program has been modified, you must create a business document in **HOPEX Internal Control** and reimport the modified work program.

To create the business document corresponding to the modified work program:

1. In the properties of the test, select the **Documents** tab.
2. Click the **New** button.
3. Enter the name given to your work program.
4. Select the location where you stored the modified Excel file and click **Upload**.
5. Select the "Work Program" document template.
6. Click **OK**.

The modified work program is now stored in the **HOPEX** repository.

Validating work programs

When the lead controller validates the work program via the workflow, an assessment session is automatically created and connected to the test. Assessment questionnaires are generated and made available from test activities. Respondents are owners of test activities.

 For more details, see ["Assessing Controls", page 102](#).

To validate the work program:

1. Click the icon of the test and select **To Be Validated > Validate**.

Executing administrative tasks

Planning resources

Auditors/controllers can be assigned to different audits/tests at the same time. It is therefore important to enter the time allocated for each auditor/controller to an audit/test.

To indicate for each auditor/controller the time to be allocated to an audit/test:

1. In the properties of the audit/test, expand the **Users** section.
2. Select a user and in the **Workload (Hours)**, enter the time to be spent on the audit/test.

Creating general tasks

For controllers, the director can create tasks not directly linked to tests.

To create a general task:

1. Select **Testing > Preparation > General Tasks**.
2. Specify dates and a comment and connect users to this task.
Users assigned to this task can allocate hours to this task in their time sheet.

Validating Vacations

To display vacations in auditor time sheets, you must previously have validated the vacation.

To validate the vacation:

1. Select **Testing > Preparation > Vacations** and open the properties of the vacation to be validated.
2. Position its status as "Validated".

Initializing expense sheets


The lead auditor can create an expense sheet per auditor/controller for all auditors/controllers assigned to the audit/test. In this case it consists of initializing expense sheets.

To initialize expense sheets:

1. In the audit/test properties window, select the **Expenses** tab.
2. Click the **Initialize** button.
An expense sheet is created for each auditor/controller.

To create an expense:

1. In the expense sheet properties, expand the **Expenses** section and click **New**.
2. Enter for each expense:
 - an **Amount**
 - a **Date**
 - the **Expense Category**: "Lodging", "Food and Beverages", "Transportation"
 - a **Comment** if required.

 *The auditor enters the amount in the desired currency. The converted amount is calculated automatically.*

EXECUTING TESTS

Preparation of a test work program allows internal controllers to:

- execute tests on samples using test sheets.
☛ These test sheets are presented in the form of check-lists. Questions are asked for each object present in the constituted sample.
- assess controls in terms of design and efficiency by means of questionnaires.
☛ These are the same questionnaires as those covered in the chapter concerning assessment campaigns.

- ✓ "Consulting the Work Program", page 99
- ✓ "Executing Tests on Samples", page 100
- ✓ "Assessing Controls", page 102
- ✓ "Managing Time and Expenses", page 103
- ✓ "Supervising Tests", page 106
- ✓ "Concluding Tests", page 107
- ✓ "Test Follow-Up", page 109


Consulting the Work Program

The controller needs to consult:

- his/her work program.
- the global work program, for a clearer view of tasks to be executed.

To access your work program:

- 】 In the **Testing** navigation tab, click **Test Navigator > My Work Program**.
In the right pane of the window appears the tree of tests on which you must intervene.
*☛ You can access the work program of a test by clicking **Global Work Program**.*
☛ To print the work program you can export it under Excel. For more details, see "Exporting the workload under Excel", page 96.



Executing Tests on Samples

Internal controllers execute the test steps defined on controls on samples.

To be able to complete test sheets, you must first:

- generate or create workpapers
- specify or modify test sample size
- generate the test sample
- define test sheet questions

Creating workpapers

Workpapers are folders or work documents that serve as a basis for the controller in execution of the test.

Workpapers are created automatically at generation of the work program. For more details, see "Work program content", page 93.

To create a workpaper manually:

1. In the properties of a test, select the **Work Program** tab.
2. Select the activity concerned and display its properties.
3. In the **Characteristics** page of the activity, **Workpapers** section, click the **New** button.

*You can also create workpapers from the **Work Program** tab of a test.*

The workpaper appears:

- in the test activity page
 - in the tree of the test work program
4. In the work program, select the paper to display its **Properties**.
 5. Enter a name and your comments.
 6. Click **OK**.

Specifying or modifying the sample size

The controller must specify the size of the test sample on the workpaper. This is the number of elements to be tested.

To specify sample size:

1. From the work program, open the properties of a workpaper.
2. Specify the **Sample Size**.

This is the size of the sample selected for testing.

☛ By default, the value is inherited from the sample size specified on the control. For more details, see ["Defining Testing Methods", page 45](#).

Generating the test sample

Test samples are generated directly from information available on the control (test steps).

To generate samples:

1. From the work program tree, click the icon of a workpaper and select **Generate Test Sample**.
Depending on the previously specified sample size, a message informs you of the number of elements that will be created in the test sample.
Generated test samples are available in the properties of the workpaper

Defining test sheet questions

Workpapers contain test sheets, which represent in tabular form the points to be executed. These test sheets contain:

- in rows, the elements of the sample to be controlled
- in columns, the questions (represented by test steps)

You must define check-list questions before being able to generate test sheets.

☛ For more details, see ["Preparing Control Testing", page 45](#).

Completing the generated test sheets

To be able to view test sheets, you must first:

- define test sheet questions
☛ See ["Defining Test Sheet Questions", page 45](#).
- generate the test sample
☛ See ["Generating the test sample", page 101](#).

To view the test sheet:

1. Open the properties of the workpaper from the work program.
2. Select the **Test Sheet** tab.
This test sheet presents:
 - in rows, the elements of the test sheet to be controlled
 - in columns, the test steps

You can reply to the questions in the columns provided.

☛ Test sheet questionnaires are distinguished from assessment questionnaires. For more details on assessment questionnaires, see

["Assessing Controls", page 102.](#)

Assessing test activities

Having specified test sheets, the controller can globally assess the test activity.

☛ This "expert view" assessment can be based on results of test sheets, or not.

To assess the test activity:

1. Open the properties of the test activity.
2. In the **Test Result** field, specify if the test has:
 - Failed
 - Passed
 - Not yet been assessed

Assessing Controls

Internal controllers must assess controls in terms of design and efficiency.

☛ This assessment uses standard assessment campaign mechanics. Generated questionnaires are distinguished from those corresponding to test sheets.

Generating questionnaires

The questionnaires are generated at validation of the work program.

☛ For more details, see ["Validating work programs", page 97.](#)

Replying to questionnaires

You can answer control assessment questionnaires:

- on a test
- on each activity of a test

To view test questionnaires:

1. In the properties of the test, expand the **Assessment** section.
2. Select a questionnaire and click **Display Questionnaires**.
3. Select the questions and reply to these in the lower part of the window.
4. Click **Save**.

To view test activity questionnaires:

1. In the properties of a test, select the **Work Program** tab.
2. In the pop-up menu of a test activity, select **Assessment**.

Managing Time and Expenses

Managing expenses

Auditors/controllers assigned to an audit/test can create expense sheets on this audit /test. In this case, they must submit their expense sheet to the lead auditor via a workflow.

To create an expense sheet:

1. Select **Home > My Desktop > Time Tracking > My Expenses**.
2. Click **New**.
3. In the **Expense Owner** field, select the audit/test concerned.
*You can also create an expense sheet in the **Expenses** tab of the audit/test properties. In this case, you do not need to specify the expense owner.*
4. Click **OK**.
 An expense sheet is created. You can now create associated expenses.
5. In the expense sheet properties, expand the **Expenses** section and click **New**.
 The audit/test is indicated.
6. Enter an **Amount** and a **Date**: you can enter the amount in the currency you require (from those you can access).

The screenshot shows a form with three main input fields. The first field is a text box containing the number '250'. The second field is a dropdown menu for currency, with 'USD' selected and a list of options (USD, EUR, USD) visible below it. The third field is a date picker showing '27/03/2014'.

The amount is converted to the currency configured for your user.

7. Specify if required:
 - the **Expense Category**: "Lodging", "Food and Beverages", "Transportation"
 - a **Comment**.
8. Click the icon of the expense sheet and submit it via the workflow.
The lead auditor does not need to seek approval for his/her expense sheets.
You can export to Excel the data contained in expense sheets.

Entering vacations

Entering vacations enables to:

- improved planning of test campaigns.
- pre-filling time sheets.

To enter a vacation:

1. Select **Home > My Desktop > Time Tracking > My Vacations**.
2. Click **New**.

3. Open the properties of the vacation created.
4. Select an attachment **Plan**.
5. Also specify:

- **Vacation Type** (holiday, training, other)
- planned and effective begin and end dates
- a comment if required

6. In the **Status** field, select "Submitted".

☛ So that the vacation will appear in the time sheet, the lead controller must have validated the vacation (by positioning its status value on "Validated").

☛ An auditor/controller can modify or delete a vacation as long as the vacation has not been validated.

Completing a Time Sheet

Auditors/controllers can complete time sheets in the framework of their audit/test.

To complete a time sheet:

1. In the **Home** tab, select **My Desktop > Time Tracking > My Time Sheets**.

The time sheet displays one line per audit/test.

2. Enter for each day the number of hours spent on each audit/test.
3. Click **Submit** to save your time sheet.
4. Click **Next** to enter your hours concerning the next week.

☛ Messages may appear if the activity report is not consistent. For example, if hours have been allocated to an audit/test and the audit/test has not yet started. You can submit an incomplete time sheet.

The time sheet enables entry for each day and for each week the number of hours spent on each audit/test.

☛ Only those audits/tests that have been published are visible in the time sheet.

The time sheet also shows:

- vacations that have been validated
- general tasks (meetings, training, team management, administration ...)

management of issues and action plans

The controller completes the work program by entering:

- Issues
- Action Plans

Managing issues

Creating Issues

Issues are accessible from activities.

To create an issue:

1. Expand the tree of your work program.
2. Click the icon of the activity concerned and select **New > Issue**.
The issue appears in the work program tree as well as in the properties of the activity.


 *Issues can be created automatically at assessment of controls. For more details, see "Automatic Issue Creation", page 114.*

Saving test evidence

You can connect documents to illustrate an issue.

To add a document as an attachment:

1. In the tree of the work program of a test, select an issue to which you wish to add a document.
2. Expand the **Attachments** section.
3. Click **New**.
The business document creation window opens.

 *A business document is a document whose content is independent of the MEGA repository. These documents can be MS Word, MS Powerpoint, or other files. A report (MS Word) generated on an object can become a business document.*

4. Indicate the business document name.
5. In **File Location**, click the **Browse** button.
The **File Location** dialog box appears.
6. Click **Browse** and select the file.
7. Click **Upload**.
8. Click **OK**.
The document appears in the list of documents attached to the issue. It is owned by the test of the issue. You can therefore also see it appear in the **Documents** tab of the test.

Managing action plans



Action plans can be created from issues.

To create an action plan:

1. In the properties page of an issue, expand the **Action Plans** section and click **New**.
The action plan appears in the section.

To define properties of the action plan:

1. Select the action plan and click **Property**.
2. Modify its **Name** if required.
3. Select a level of **Priority**.
4. Specify the **Means** implemented for the action plan.

5. Modify the **Owner** if required.
 *By default the owner is the action plan creator.*
6. Select an **Approver**.
 *By default the approver is the action plan creator.*
7. Click **OK**.

Supervising Tests

The lead controller must validate the work of controllers via the activity workflow.

He/she can then check their work and assure test follow-up. To simplify the task, reports enabling test check are available on each test.

Test check reports

To access test check reports:


- 】 In the page of the test, select **Reports** then **Supervision**.

Three reports appear :

- **Issue Objectivity**: to ensure objectivity of issues, evidence must be provided.
The figure displayed represents the percentage of issues with at least one attachment.
- **Work progression by controller**
- Controller activity **Summary Table**

Time sheet follow-up reports

Reports enable follow-up of auditor/controller time sheets.

 *These reports are available for Compliance Managers only.*

To access the Reports tab:

- 】 Select **My Desktop > Time Tracking**.
Three reports are available.

Time sheets by auditor

This report presents auditor time sheets over a given period

- number of hours assigned for the audit
- effective number of hours in week
- number of hours accumulated since start of audit
- number of hours remaining
- last allocation of auditor on audit
- last time sheet of the auditor
- progress of auditor on audit (in progress, completed..)

Time sheets by audit

This report presents all time sheets for a given audit.

Incomplete days by auditor

This report presents the list of incomplete days, that is days of which the number of hours declared is less than daily work duration.

➡ Press **Validate** to validate the Time Sheet.

Test expenses reports

To view expenses of an audit/test:

- In the properties of an audit/test, select the **Reports** tab, then **Work Mission Expenses**.

Pie diagrams present breakdown of expenses:

- by resource (auditor)
- by category:
 - Food and Beverages
 - Lodging
 - Transportation

To view the list of expenses associated with a diagram sector:

- Right-click in a sector.
Corresponding results appear as a list in the lower part of the window.

Concluding Tests

Test assessment reports

Reports allow the lead controller to best assess the test and analyze its action plans.

To access the Reports tab:

- In the page of the test, select **Reports** then **Assessment**.

Several reports are proposed:


- Action plan breakdown by priority (low, medium, high)
- Issues by theme
- Summary table of above elements

Generating test reports

The test report uses test elements.

To generate the test report:

1. Display the navigator of your work program.
2. Click the icon of the test and select **Deliverables > Test Report**.
A message asks if you want to open or save the file.
3. Save the file to be able to modify and then submit it.

 You can access reports on previous tests in **Home > Testing Library > Shared Documents**.

Assessing tests

To assess the test:

1. In the properties of the test, select the **Summary** section.
2. You can indicate:
 - Test **Strengths**
 - Test **Weaknesses**
3. In the **Assessment** field, specify a value from:
 - "Good overall level"
 - "Can be improved"
 - "Improvement needed"
 - "At risk"


Terminating tests


When the test is closed:

- the test report is sent to persons interviewed
- action plans are sent to their owner

Closing tests

When the test has been terminated, the internal control director can close it.

 Closing a test closes all objects at a lower level, with the exception of action plans and actions. When these objects have been closed you can no longer modify them.

 The administrator can exceptionally reopen these objects if necessary.

TEST FOLLOW-UP

Implementing Action Plans

Accessing action plans

To access action plans:

- 1 Select **Home > My Desktop > My Responsibilities > My Action Plans**.

This list presents the action plans assigned to you.

Implementing actions

The action plan owner must create actions.

Creating actions

To create an action:

1. Open the properties of a test.
2. In the **Action Plans** tab, select an action plan and click **Properties**.
3. In the **Actions** section, click **New**.
4. Open the properties of the action created.
5. Modify its name if necessary, enter a date limit and an action owner.
6. Click **OK**.


Sending or submitting the action plan

Actions created and assigned to appropriate users constitute an action plan.

To submit the action plan:

- 1 Right-click the action plan name and select **To Be Submitted > Submit**.

The approver validates the action plan by return.

 *By default, the approver is the controller who created the action plan.*

Action plan implementation follow-up

When the action plan has been validated by the approver, actions are implemented by persons concerned.

Specifying action plan progress

The action plan owner must inform the approver on progress of his/her actions.

To indicate progress of an action plan:

1. In the properties of an action plan, expand the **Progress Update** section.
2. Click the **New** button.
A progress state is created.
3. In the **Progress Update Percentage** field, specify an action plan execution percentage.
4. Enter a comment if required.
5. Click **OK**.

☞ Several progress states at different dates can be created.

Following up action plan progress

After a predetermined period, the internal control director or lead controller can request receipt of information on progress of action plans.

To follow up action plan progress:

1. In the action plan properties, select the **Progress Report** tab.

Action Plan Follow-Up

An analysis report assures follow-up of action plans.

To access an action plan follow-up report:

1. In the **Control** desktop, select **Testing > Decisional Reports**.
2. Select **Action Plan Reports**.

To create an action plan report:

1. Click **New** and open the report created.
2. In **Parameters**, connect the objects that interest you:
 - Business
 - Entities
3. In the **Reports** tab, you can see:
 - breakdown of action plans by entity, process, category

Test Plan Follow-Up

HOPEX Internal Control enables follow-up of test plans according to different criteria.

Displaying test plan follow-up reports

Reports enable test plan execution follow-up.

To access test plan reports:

1. Open the properties of the plan.
2. Select the **Plan Reports** tab.

Supervision

This report offers a summary of test plan tests according to different criteria:

- Origin
- Priority
- Category
- Score
- Status

Workload and resources

This report enables comparison of estimated and effective workloads.

Pie charts show comparison of test design and efficiency.

Resources allocation

The diagram displayed in this report enables comparison of:

- persons available
- persons required
- persons assigned

By default, results relate to the current year, but you can display results for a precise period.

Gantt report

The Gantt report comprises two parts:

- A Gantt chart of plan tests scheduled between selected dates
- A Gantt chart of occupation of controllers on plan tests between selected dates

Expenses

This report shows all expenses linked to a plan, as well as breakdown by expense category and by controller.

It allows the director to plan future audits.

Closing a test plan

When all test activities have been completed, the internal control director can close the test plan.

The effect of this action is to close all tests in progress that have not been canceled.

Reports and Dashboard

Reports


Reports allow you to follow up progress of tests.

For more details, see ["Control Testing Reports", page 132](#).

Dashboard

Your dashboard allows you to access a set of widgets and follow the progress of your tests in real time.

To customize your dashboard:

1. At top right of the edit area, click **Dashboard** .
2. At bottom left of the edit area, click **Add**.
The list of elements you can display in your dashboard appears:
 - general widgets
 - widgets relating to testing
3. Select an element and drag-and-drop to the dashboard (central area of solution).

MANAGING ISSUES AND ACTION PLANS



Issues are identified from control assessment questionnaires. Their analysis enables implementation of the appropriate corrective actions in the form of action plans. Action plan follow-up is simplified by production of reports.

- ✓ ["Managing issues", page 114](#)
- ✓ ["Managing action plans", page 116](#)

MANAGING ISSUES

Issues are created automatically at control assessment when controls are considered unsatisfactory. They can also be created manually.

Automatic Issue Creation

In the framework of a test activity, if an activity is the subject of a poor assessment, an issue is automatically proposed to the questionnaire respondent.

The issue is connected to:

- the questionnaire concerned
- the assessed control
- the measurement of the control concerned

To view the origin of the issue:

1. In the **Control** desktop, select **Remediation > Issues and Action Plans > Issues**.
2. Select the issue created automatically and expand the **Assessment Scope** section.

This section provides information on the origin of the issue:

- questionnaire
- assessment node: the control and its context object (process or entity)
- control

Creating an Issue Manually

You can create issues manually at any time you consider this necessary.

To create an issue manually:

1. In the **Control** desktop, select **Remediation > Issues and Action Plans > Issues**.
2. Click **New**.
3. Open the properties of the issue.
4. In the **Category** field of the issue, specify if it is an issue detected:
 - at control assessment
 - at testing

Remediating Issues

To remediate the issue, you must create an action plan.

The issue is considered as remediated when the action plan is completed.

☛ For more information on action plans, see "[Managing action plans](#)", page 116.

Following Up Issues

You can:

- view issues that have been remediated (of which the action plan is completed)
- generate an issue follow-up report

Viewing remediated issues

To view remediated issues:

1. Select **Remediation > Reports > Remediated Issues**.
The list of remediated issues appears.

Generating issue follow-up reports

To generate an issue follow-up report:

1. Select **Reports > Remediation > Issue Follow-Up**.
2. In the **Parameters** tab, define filter criteria if necessary and select:
 - an entity
 - a process
 - a Begin Date: to obtain issues created after this date
 - an End Date: to obtain issues created before this date

☛ By default the end date is the current date.
3. Select the **Reports** tab to view the result.
This report shows distribution between issues:
 - remediated
 - non-remediated
 - that do not yet have an action plan

MANAGING ACTION PLANS

You can set up action plans to improve a control that has been considered unsatisfactory ("fail").

☛ For more details on action plans, see also the **HOPEX Common Features** guide.

Creating Action Plans

To create an action plan from an issue:

1. In the **Control** desktop, select **Remediation > Issues and Action Plans > Issues**.
2. Select an issue and in its properties, expand the **Action Plans** section.
3. Click **New**.

The action plan is created, as well as its associated workflow.

☛ For more information on action plan workflows, see "[Action Plan Workflows](#)", page 119.

☛ The action plan also appears in the **Remediation > Issues and Action Plans > All Action Plans** menu

You can specify action plan characteristics in its properties. See "[Characterizing Action Plans](#)", page 116.

Characterizing Action Plans

To specify action plan properties:

1. In the **Control** desktop, select **Remediation > Issues and Action Plans > All Action Plans**.
2. Open the properties of the action plan.

General characteristics

You can specify the following information:

- **Name:** action plan name.
- **Owner:** this field is specified by default by the user who created the action plan.
- **Owner Entity:** entity responsible for action plan implementation.
- **Approver:** user responsible for validation of the action plan when all actions are completed.
- **Means:** text description of means required/desired for action plan execution.
- **Priority:** enables indication of a level. Priority can be:
 - "Low"
 - "Medium"
 - "High"
 - "Critical"
- **Organizational Level:** final objective of plan; this can be:
 - "Global"
 - "Local"
- **Origin:** enables definition of the context of carrying out the action plan:
 - "Audit"
 - "Compliance"
 - "Event"
 - "Risk"
 - "RFC"
 - "Other".
- **Category:** the action plan can for example be connected to:
 - risk impact reduction
 - project management
 - process improvement
 - control performance improvement
 - etc.
- *Other values are available.*
- **Nature:** enables definition of whether the action plan is:
 - Corrective
 - Preventive
- **Comment:** supplements information on the action plan and its characteristics.
- **Steering Calendar:** used for sending reminders to the person responsible for an action plan so that they can indicate action plan progress.

➡ *A steering calendar for monthly reminder of progress is supplied by default.*


Financial assertion

- **Forecast Cost:** action plan cost estimate.
- **Forecast Cost (Man-Days):** estimate in man-days of action plan implementation workload.

RACI

The action plan **Owner** responsible for definition of actions to be carried out and their execution.

This field is specified with the name of the action plan creator or with the name of the action plan approver.

 For more details on the use of RACI, see ["Responsibilities", page 34.](#)

Success factors

In the **Success Factors** section, you can specify in text the success indicators enabling assessment of success of the action plan.

Scope

To position an action plan in its environment, you can associate objects with the action plan in the **Scope** section.

You can connect objects of the following types:

- Controls
- applications
- risks
- entities
- process
- incidents


Milestones

Milestones are key dates of the action plan.

 The planned end date is mandatory.


Attachments

You can attach business documents to an action plan:

 For more details on the use of business documents, see the **HOPEX Common Features** guide.

Managing Actions


The owner of the action plan must define actions enabling execution of the action plan. The owner can create actions and assign these.

 An action is included in an action plan and represents a transformation or processing in an organization or system.

Creating Actions

To create an action from an action plan:

1. Select **Home > My Desktop > My Responsibilities > My Action Plans**.

 Depending on your profile, you can also access action plans via the menu **Remediation > Issues and Action Plans > All Action Plans**.

2. Select the action plan in question and click **Properties**.
3. In the **Actions** section, click **New**.
4. In the action properties, complete fields:
 - **Priority**: enables indication of a level. Priority can be: "Low", "Medium", "High" or "Critical".
 - **Owner**: responsible for the action as specified by the action plan creator.
 - **Owner Entity**: entity responsible for action plan implementation.
5. You can specify milestones, which are important dates of the action.
 - **Planned Begin Date**
 - **Planned End Date**
6. Click **OK**.
The action is created with "Created" status.

Defining action scope

An action can concern one or several objects of control, risk or application type.

For example, to define the controls that will be executed in the framework of the action:


1. Open the properties of the action.
2. Expand the **Scope** section.
3. Connect the controls you want to install.

Action Plan Workflows

A workflow is automatically created at creation of the action plan.

Depending on the profile role of the person that created the action plan, two workflows are available:

- a "top-down" approach
- a "bottom-up" approach

 Commands enabling passage from one workflow status to another are available:

- in the pop-up menu of the action plan from an action plans list
- in the properties dialog box of an action plan, by clicking the action plan icon at top left

"Bottom-up" approach

In a "bottom-up" approach, the action plan can be created by any user. An approver must validate the action plan so that it can be implemented. This is the case when

control assessment questionnaire respondents propose an action plan: they must submit it via the workflow.

☛ For the different workflow steps, see [""Bottom-up" Action Plan Workflow", page 147](#)

"Top-down" approach

In the framework of a "top-down" approach, the action plan is created by a responsible. The action plan does not need to be validated in this case.

Internal controllers carrying out tests use this approach:

☛ For the different workflow steps, see [""Top-down" Action Plan Workflow", page 148](#)

Action workflow

When action plan actions have been defined, starting an action plan starts the linked actions.

When the action responsible has completed his/her actions, these can be closed. Closing the action plan automatically closes the linked actions.

☛ See ["Action Workflow", page 149](#).

Action Plan Follow-Up

Indicating action plan progress

When the action plan has been started, you can create progress states to indicate its progress.

To specify action plan progress:

1. In the **Control** desktop, select **Remediation > Issues and Action Plans**.
2. Select an action plan and open its properties.
3. Expand section **Action Plan Progress**, and in the **Progress Update** frame, click **New**.
4. Specify a **Progress Update Percentage**.
5. If required, specify the **Progress Assessment**.

You can specify if the action plan is:

- On Time
- Delayed

6. Click **OK**.

The progress state is created. You can create these at regular intervals.

Action plan follow-up reports

Reports allow you to follow up action plans.

☛ For more details, see ["Action Plan Follow-Up", page 134](#).

HOPEX INTERNAL CONTROL REPORTS



This chapter describes reports present in the **Reports** navigation tab. This tab groups the main reports used in each step of internal control. They can provide help in decision-making and allow you to follow up progress of your work.

You find these reports in navigation tabs corresponding to the different internal control phases. You can also find certain reports in the properties dialog boxes of the objects they describe.

- ✓ "Creating Reports", page 122
- ✓ "Control Library Reports", page 123
- ✓ "Control Execution Reports", page 126
- ✓ "Control Assessment Reports", page 129
- ✓ "Control Testing Reports", page 132
- ✓ "Control Remediation Reports", page 134
- ✓ "Reports on Environment Objects", page 136



CREATING REPORTS

To create a report:

1. In the Internal control desktop, select the **Reports** tab.
2. Select the type of report to be created and click **New**.
The properties dialog box of the report appears.
3. In the **Parameters** tab, specify the requested parameters, including the report name.

☛ *The different parameters requested for each report are described later in this chapter.*

4. Select the **Reports** tab.
You can view the report created.

☛ *The report is specific to the user with which you are connected.*

☛ *To customize reports, see **HOPEX Common Features**, "Generating Documentation", "Customizing Reports".*

CONTROL LIBRARY REPORTS

Control Identification

This report presents distribution of controls according to several perspectives:

- entities
- process
- control types
- accounts

Access path

Reports > Library > Control Identification

Parameters

Parameters	Remarks
Begin Date	Optional All controls created after this date are selected
End date	Mandatory Initialized with current date All controls created before this date are selected
Context objects	Optional The context object can be an: <ul style="list-style-type: none">- Entity- Control type- Process- Account

Connecting context objects

You can specify context objects enabling display of controls linked to:

- Entities
- Business
- Types of control
- Accounts

To connect context objects:

- 】 In the appropriate frame, click **Connect**
In the dialog box that appears, you can select objects in two ways:
 - via a tree: select the objects to be connected in the proposed tree and click **OK**.
 - via the query tool: select the required object type in the drop-down list, click the **Find** button, select the objects to be connected and click **OK**.

Results

To obtain the list of controls making up a bar chart bar:

- 】 Click the bar chart bar that interests you.
The list of controls taken into account is presented at the bottom of the edit area.

Bars of the bar chart distinguish assessed controls from those not yet assessed.

Control Location Matrix

The control location matrix displays links between:

- a controls list
- context objects

Access path

Reports > Library > Control Location Matrix

Parameters

Parameters	Parameter type	Comment
Begin Date	Date	Optional All controls created after this date are selected

Parameters	Parameter type	Comment
End date	Date	Optional All controls created before this date are selected
Context type	The context can be of type: <ul style="list-style-type: none">- Account- Business process- Control type- Entity- Organizational process	Mandatory The object type determines contexts to be displayed in matrix columns
Localized controls	List of controls possibly filtered by: <ul style="list-style-type: none">- Entity- Process- Risk type- Account	Mandatory Controls to be displayed in matrix rows


Control Map

The control map constitutes the control "identity card".

Generating the control map

To generate a control map:

- 1 In the **Control Library** navigation tab, click the icon of the control then the **Generate Report (MS Word)** button.
An MS Word format report opens.

 An intermediate window may ask if you want to authorize pop-ups.
If this is the case, reply "Yes".

Control map content

For the control concerned, the control map presents:

- control characteristics
 - general characteristics
 - responsibilities (in the RACI sense)
 - scope (context objects)
- data concerning control execution
 - execution method (frequency, associated steering calendar, execution procedure, associated controls)
 - executions carried out (with respondent and date)

CONTROL EXECUTION REPORTS

- ✓ "Detailed Execution Results", page 126
- ✓ "Consolidated Execution Results", page 126
- ✓ "Following Up Execution Sessions", page 127

Detailed Execution Results

This report presents results of each execution campaign session.

Access path

Reports > Execution > Detailed Execution Results


Parameters

Parameters	Remarks
Campaign	Mandatory
Session	Mandatory

Result

The report is presented as a table:

- in rows: tree of controls in their context
- in columns: results (control level)

 This report is available only in the **Reports** navigation tab.

Consolidated Execution Results

This report presents aggregated results of controls by entity and by month.

Access path

Reports > Execution > Consolidated Execution Results

Parameters

Parameters
calendar
Begin Date
End date
Entity type
Entity

Result

The matrix comprises:

- a list of entities: by default, all entities are selected.
 - ☛ If the "Entity type" parameter is specified, selected entities correspond to this specified entity type.
- a **Total number of controls**: number of controls linked to the entity (or its sub-entities).
- a **Total number of instances**: controls are counted as many times as there are contexts for the same control.

If a control is assessed in the framework of two different entities, the control is counted twice: **HOPEX Internal Control** distinguishes two instances of the assessed control.

☛ For more details on control contextualization see "[Scoping Controls](#)", page 36.

- for each month:
 - a **Number of assessed instances**
 - a number of instances considered as satisfactory ("pass")
 - a % of instances considered as satisfactory ("pass")

Following Up Execution Sessions

This report enables follow-up of assessment sessions of "Execution" type.

Access path

Reports > Execution > Execution Session Follow-Up

Availability

This report is also available from a particular execution session.

To access this report from an execution session:

1. In the properties of an execution campaign, select the **Sessions** tab and open the properties page of an assessment session.
2. Select the **Reporting** tab, then **Follow-Up**.

Parameters

Parameters
Session

Result

A summary displays general information on the current session.

This report presents charts concerning campaign progress:

- Percentage of completed questionnaires
- Distribution of questionnaires by status
- Distribution of questionnaires delegated/not delegated
- Distribution of questionnaires by status, for each respondent
- Distribution of questionnaires by status, for each assessed object

CONTROL ASSESSMENT REPORTS

Campaign Result Tree

This report presents results of a given execution campaign session. It presents entities/processes/controls as trees and indicates for each assessed control whether it is satisfactory or not.

Access path

Reports > Assessment Campaigns > Campaign Results Tree

Parameters

Parameters
Campaign
Assessment session

Campaign Result Matrix By Entity

This report presents as a matrix the results of each session of a given assessment campaign.

Access path

Reports > Assessment Campaigns > Campaign Results Matrix by Entity

Parameters

Parameters
Campaign
Entity
Entity type

Aggregation Report

The aggregation report presents in tree form all objects from the selected root entity, together with their last assessment.

Access path

Reports > Assessment Campaigns > Aggregation Report

Parameters

Parameters	Remarks
Begin Date	
End date	By default current date
Context root	Tree root entity
Aggregation schema	An aggregation schema should be selected from the proposed list
Assessed characteristics	Assessed characteristics proposed depend on the selected aggregation schema.



An aggregation schema is a series of steps enabling consolidation of assessment results according to specified assessment rules.

Session Follow-Up

This report enables assessment session follow-up.

It is identical to the "Execution Sessions Follow-Up" report, except that it is started from an assessment session (the campaign not having "Execution" type).

➡ For more details, see ["Following Up Execution Sessions", page 127](#).

Access path

Reports > Assessment Campaigns > Session Follow-Up

Parameters

Parameters	Parameter value
Session	Assessment session

Session Statistics

This report displays the questionnaire data of a given assessment session and is used to analyze the distribution of answers.

Access path

Reports > Assessment Campaigns > Session Statistics

Parameters

Parameters	Remarks
Campaign	Mandatory
Session	Mandatory

Result

A tree appears:

- in rows: questions/answers, together with respondents
 - in columns: for each question/answer:
 - number of respondents
 - controls to which the answer relates
- This tree specifies who has answered what to which question.

CONTROL TESTING REPORTS

Testing Coverage

The testing coverage report provides help in decision-making when selecting tests. It enables generation of tests.

➤ See "[Viewing the test coverage report](#)", page 88.

Plan Synthesis

This report presents an overview of plan indicators.

Access path

Reports > Testing > Plan Synthesis

Result

A summary table presents:

- number of tests (total number, number of tests planned, published and completed)

➤ If you click the figure indicated, the corresponding tests appear at the bottom of the window. You can consult the properties of each test and modify these from this list.

- estimated and effective workload (in days)
- average duration (days)
- average number of controllers

Charts present the distribution of tests by:

- origin
- priority
- category
- score
- status

Other Reports

Reports allow you to follow up progress of a particular object (test plan, test, action plan). They are available on each object, in the **Testing** navigation tab.

Test plan follow-up reports

Reports enable test plan execution follow-up.

➤ See ["Displaying test plan follow-up reports", page 110](#).

Test follow-up report

For more information on possibilities for test follow-up in particular, see:

- ["Planning tests using a Gantt chart", page 90](#)
- ["Viewing resource availability", page 91](#)
- ["Consulting the work program report", page 96](#)
- ["Generating test reports", page 107](#)
- ["Test expenses reports", page 107](#)
- ["Supervising Tests", page 106](#)
- ["Test assessment reports", page 107](#)

Action plan report

To follow up progress of an action plan in particular, see ["Following up action plan progress", page 110](#).

CONTROL REMEDIATION REPORTS

Issue Follow-Up

The issue follow-up report is presented in the form of a pie chart.

Access path

Reports > Remediation > Issue Follow-Up

Result

This report distinguishes issues:

- **Remediated:** issues with an action plan whose status is:
 - Completed
 - Closed
- **Non-Remediated:** issues with an action plan of which status is:
 - To send
 - To start
 - Under follow-up
- **Without action plan**

➡ For more details on generation of this report, see "[Generating issue follow-up reports](#)", page 115.

Action Plan Follow-Up

To follow up action plans:

- 1 Select **Reports > Remediation > Action Plan Follow-Up**.

➡ For more details, see "[Action Plan Follow-Up](#)", page 110.

Access path

Reports > Remediation > Action Plan Follow-Up

Result

This report comprises several charts:

- bar charts
- pie charts

The action plans are represented in their different contexts (processes and entities).

Action plans by status

This bar chart presents action plan statuses.

Action plans by progress

This pie chart presents action plan breakdown according to their status. Possible statuses are the following:

- On Time
 - in progress
 - with due date exceeding 30 days
- Delayed:
 - in progress
 - with due date earlier than current date
- Approaching due date:
 - in progress
 - with due date between 0 and 30 days inclusive
- Canceled
- Closed

Action plan by priority

This pie chart presents action plan breakdown according to their priority.

Possible priorities are the following:

- Critical
- High
- Medium
- Low

Action plans by category

This pie chart presents action plan breakdown according to their category.

Possible categories are as follows:

- Corrections
- Preventive

Action plans by entity

This bar chart presents breakdown of action plans for each entity.

- x-axis: all entities
- y-axis: number of action plans linked to each entity and sub-entity
 - ☛ If no entity is selected, all root entities are taken by default.

Action plans by process

This bar chart presents breakdown of action plans for each process.

- x-axis: all processes (business and organizational)
- y-axis: number of action plans linked to each process and sub-process
 - ☛ If no process is selected, all root processes are taken by default.

REPORTS ON ENVIRONMENT OBJECTS

Control Report

Access path

To access this report:

1. Select **Control Library > Control Management > Controls > All Controls**.
2. Select a control, then in its properties select the **Report** tab.

Results

This report presents the results of control execution/assessment sessions for each entity over the last twelve months.

Entity Report

To access this report:

1. Select **Control Library > Control Trees > Controls by Entity and Process**.
2. Select an entity.
3. In the properties dialog box of the entity, select the **Reporting** tab, then select the tab in question:
 - **Controls**
 - **Action plans**
 - **Assessments**

Controls

Bar charts present the number of controls (assessed/not assessed) connected to the selected entity, breaking these down by:

- Sub-entity
- Business
- Account
- Control type

Action plans

Bar charts allow you to follow up progress of action plans connected to the selected entity.

Each bar chart displays breakdown of action plans by:

- Category
- Status
- Progression
- Priority
- Nature
- Sub-entity
- Business

Assessments

Two heatmaps present:

- Inherent risk, calculated from the following values:
 - Impact
 - Likelihood
- Net risk, calculated from the following values:
 - Control level
 - Inherent risk

Process Report

This report presents "heatmaps" of aggregated results over the last three years.

To access this report:

1. Select **Control Library > Control Trees > Controls by Process**.
2. Select a business or organizational process.
3. In the properties dialog box of the process, select the **Reporting** tab then select the sub-tab in question:
 - **Controls**
 - **Assessments**
 - **Action plans**

Controls

Bar charts present the number of controls (assessed/not assessed) connected to the selected process, breaking these down by:

- Entity
- Sub-process
- Account
- Control type

Assessments

Two heatmaps present:

- Inherent risk, calculated from the following values:
 - Impact
 - Likelihood
- Net risk, calculated from the following values:
 - Control level
 - Inherent risk

Action plans

Bar charts allow you to follow up progress of action plans connected to the selected process.

Each bar chart displays breakdown of action plans by:

- Category
- Status
- Progression
- Priority
- Nature
- Sub-process
- Entity connected to process

Account Report

Access path

To access this report:

1. Select **Control Library > Control Management > Controls > All Controls**.
2. Select a control.
3. In the **Characteristics** tab of the properties page, expand the **Scope** section, then select the **Accounts**.
4. Select an account, then in its properties page select the **Reports** tab.

Results

This report presents the number of controls connected to the selected account, breaking these down in the form of a bar chart by:

- Sub-account
- Business
- Entity
- Parent control type

Control Type Report

Access path

To access this report:

1. Select **Control Library > Control Trees > Controls by Control Type**.
2. Select a control type, then in its properties select the **Reports** tab.

Results

This report presents the number of controls connected to the control type, breaking these down by:

- Entity
- Business
- Account

APPENDIX - WORKFLOWS




Progression of internal control activities is via ready-to-use workflows. This appendix presents workflows of the main internal control phases.

Workflow transitions are available in the pop-up menus of objects to which the workflow relates.


- ✓ ["Workflows Linked to Testing", page 142](#)
- ✓ ["Workflows Linked to Assessments", page 146](#)
- ✓ ["Workflows Linked to Action Plans", page 147](#)

WORKFLOWS LINKED TO TESTING


Test Plan/Audit Plan Workflow




Test Workflow



Test Activity Workflow



Expense Sheet Workflow



WORKFLOWS LINKED TO ASSESSMENTS


For more details on the workflow:

- Of control assessment campaigns, see ["Generic Assessment Workflows"](#), page 110.
- Of control execution, see ["Automatic Assessment Workflows"](#), page 113.


➡ *These workflows are detailed in the **HOPEX Assessment** guide.*

WORKFLOWS LINKED TO ACTION PLANS

"Bottom-up" Action Plan Workflow



"Top-down" Action Plan Workflow



Action Workflow

